OLSEN RANCHES, INC.



B057

ANNUAL BULL SALE

Saturday, January 29, 2022

12:30 PM MST at the Ranch

Female-Focused, Feeder Friendly, and Consumer Centered

2322 Rd 14
Harrisburg, NE 69345
308-641-1273 (Douglas cell)
308-631-3104 (Art cell)
www.olsenranches.com

Olsen Ranches, Inc. Annual Bull Sale

January 29, 2022 Sale - 12:30 pm Lunch Available Harrisburg, Nebraska

Thank you for your interest in our program! We are very excited to offer this set of bulls for sale, which are a result of years of focus by our operation on cattle genetics. Through our commercial cow herd, we test many sires from across the Hereford breed as the primary test herd for the AHA National Reference Sire Program and select for performance, carcass merit, feed efficiency, and maternal characteristics such as longevity.

In a world full of change, some things remain the same -- we still desire to produce and help our customers produce healthy, safe, nutritious, and desirable food for the consumers of this country and abroad. As we face our challenges of today, we must turn our focus on the future and to setting goals of continued excellence in the beef industry. *Our goals continue to be female-focused, feeder friendly, and consumer centered.* We recognize the critical importance of heterosis and breed complementarity in making the commercial cow herds profitable across the country.

At Olsen Ranches, we work toward producing cows that fit our high plains resources. We expect our commercial and registered cows to graze 12 months of the year. We start calving in late May. Our commercial and registered calves are out on cornstalks and crop residue grazing after weaning. We finish all of these offspring that are not sold or used as breeding stock on the ranch. After our commercial calves graze out on stalks for the winter, we start feeding them for harvest in early June. These steers will gain just under 5 pounds a day for 185 days. As we market these fed cattle, we understand the value of fitting the marketplace and targeting premiums. We had a pen of feeder heifers earn nearly \$200 per head over the cash market as they graded a whopping 65% prime! As feed prices have soared in 2021, we are reminded of the importance of feed efficiency. We have been collecting feed intake data since 2010 on all calves out of our registered cows and all AI sired steers out of the commercial cows.

We want to produce genetics that will help us have functional, long-lasting cows in our environment and yours, cows that produce desirable feeder cattle, and ultimately a nutritious, desirable end product. We also want to be able to share some of our genetics to help other people accomplish similar goals. These bulls have the potential to be valuable tools for many operations.

We would enjoy the opportunity to visit with you about our program or answer any questions you may have. We are located 25 miles south of Scottsbluff or 17 miles north of Kimball on Highway 71, and 10 miles west on Banner County Road 14. You will find us very open and honest about our cattle. Feel free to call and make arrangements anytime to view our cow herd or our bulls. We believe there is value in these bulls for the producer who retains ownership through the feedyard or who sells weaned calves.

We encourage you to take a look at the data, videos, and information available at www.olsenranches.com. Please feel free to ask any questions you may have. We are passionate about the beef industry and want to help others succeed.

If you cannot attend the sale on the 29th, please contact us and we will accommodate you. Thank you for letting us show you how our bulls could work for you.

Art and Douglas Olsen (308) 641-1273 (Douglas) (308) 631-3104 (Art)





- Visit our website, www.thelivestocklink.com
- Click the "Auctions" tab
- · Click on "Click Here to Register"
- · Enter your e-mail address and password, and fill out all your contact information
- Fill out your Banking Information. If you are only viewing the sale and do not wish to bid, this information
 can be left blank.
- · Check the checkbox at the bottom of the page that says "I'm not a robot" to prove you are a real person
- Click "Register" at the bottom of the page
- You will receive an email with a link to activate your account.
- · Please register to bid at least 24 hours in advance of the sale.
- Contact Aaron Friedt at (701) 590-9597 for help or with any questions.

You will receive an email when you are approved for bidding. All applications will be reviewed and processed promptly. You will receive a bidder number only aft er you have made a purchase in the sale, and that number will only be used at that sale. When the sale is completed, please contact the sale owner or manager for instructions of payment and delivery of your purchase.

To use our service, you must have access to High Speed Internet.

Questions?

Contact Aaron Triedt at (701) 590-9597 or Support at (605) 920-9261 www.TheLivestockLink.com



PERFORMANCE INFORMATION

Quality performance information is extremely important to our operation. The EPD terms are defined on the following page. The table with the breed average EPDs and the average of our sale bulls shows some of the selection pressure that we have achieved with our program. Our pressure on calving ease, moderate growth, lower feed intake, average milk, smaller cow size, better udders, and especially carcass traits are evident in the following table.

Avg. EPDs for 2020 Born Calves

	CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	Udd	Teat	CW	FT	REA	MARB	BMI	CHB
Olsen Sale Bul	6.8	1.0	52	83	0.1	1.2	21.0	25	51	4.3	72	1.3	1.4	66	0.04	0.51	0.47	438	147
Breed Avg. EPI	2.6	2.8	53	86	0.2	1.0	16.5	25	52	1.8	90	1.2	1.3	67	0.02	0.39	0.11	352	113

Because of data collected on animals in a pedigree, EPDs are superior to an animal's actual measurements in predicting an animal's genetic potential. For more information about the American Hereford Association's performance measurements, check www.hereford.org or the preface of the AHA sire summary under "Records/TPR". Performance pedigrees of the animals can also be found on AHA's website through an "EPD Search" using the guest option and using the animal's name or registration number to look up any animal.

Weight and Feed Efficiency Terms

Feed Efficiency Trial April 2 – June 10, 2021

- ADG The average daily gain of the individual during the 70 day feed efficiency test
- 6/10 WT The actual weight at the end of the feed efficiency test
- Scrotal Actual scrotal measurement 1/14/22
- F/G The feed to gain ratio during the 70 day feed efficiency test note that a lower ratio is more feed efficient
- ADJ F/G The feed to gain ratio during the 70 day test that is adjusted for an animal's body weight
- RFI The Residual Feed Intake is the difference between an animal's actual feed intake and its expected feed intake based on its size and growth over a specified period. An animal with a lower RFI value is more feed efficient.
- RG The Residual Gain is the difference between an animal's actual gain and its expected gain based on intake and body weight. An animal with a higher value is more efficient.
- FE Index Feed Efficiency Index is an index that combines the value of gain and the cost of intake. Higher is more desirable.

Sale Procedure and Terms

We expect to have updated EPDs with genomic enhancements prior to the sale. We will have any updates available at the sale or on our website. We have submitted a homozygous polled test on some bulls in the sale. We hope to have those results by the sale. These bulls are being tested and may be homozygous polled: 0105V, 058Z, 067F, 070X, 073Z, 078A, 081A, 088C, and E079.

You will be able to view videos of the bulls on our website: www.olsenranches.com. We also will have "The Livestock Link" broadcast our sale, and you will be able to bid over the internet. On site and on the web, the bull sale will run identically to other years. Bulls will sell in catalog order. We will set base prices on the bulls prior to the sale, and we will bid the bulls up from there if more than one person is interested in the bull.

If you bring your own trailer and health certificates can be written on sale day, you will receive a \$50/head rebate on each animal you haul home. These bulls have not been tested for trichomoniasis. We will perform this test after the sale on any animals that need to be tested. (If you have special health requirements in your state or area, please alert us prior to sale day so we can assist you with delivery.) We will provide delivery services to you – all deliveries 200 to 400 miles from the ranch, we will charge \$150/head delivered; for deliveries 400 to 500 miles from the ranch, we will charge \$200/head delivered; for deliveries over 500 miles from the ranch, we will come to agreement with the purchaser on delivery costs. We will begin deliveries immediately after the sale. If you prefer not to take delivery as scheduled, we will care for your bull purchases at our risk for \$3.00/hd/day. This cost will begin March 1.

All the bulls have a complete Breeding Soundness Evaluation. Olsen Ranches, Inc. will sell 100% possession and will retain a semen revenue sharing interest in all bulls.

Videos of the bulls will be available via a link on our website www.olsenranches.com.

EPDs in this catalog were released by AHA on January 10, 2022. The most up to date EPDs can be found on the American Hereford Association website.

Olsen Ranches, Inc. Annual Bull Sale

January 29, 2022 Sale - 12:30 pm Lunch Available Harrisburg, Nebraska

(308) 641-1273 (Douglas)

(308) 631-3104 (Art)

Understanding Hereford EPDs

The American Hereford Association (AHA) currently produces expected progeny differences (EPDs) for 17 traits and calculates three profit indexes. AHA's genetic evaluation makes use of a Marker Effects Model that allows the calculation of EPDs by incorporating the pedigree, phenotypic and genomic profile of an animal. Animals that have a genomic profile will be denoted with a GE-EPD logo. The current suite of Hereford EPDs and profit indexes includes:

Calving Ease — **Direct (CE) CE EPD** is based on calving ease scores and birth weights and is measured on a percentage. CE EPD indicates the influence of the sire on calving ease in females calving at 2 years of age. For example, if sire A has a CE EPD of 6 and sire B has a CE EPD of -2, then you would expect on average, if comparably mated, sire A's calves would have an 8 percent more likely chance of unassisted calving when compared to sire B's calves.

Birth Weight (BW) BW EPD is an indicator trait for calving ease and is measured in pounds. For example, if sire A has a BW EPD of 3.6 and sire B has a BW EPD of 0.6, then you would expect on average, if comparably mated, sire A's calves would come 3 lb. heavier at birth when compared to sire B's calves. Larger BW EPDs usually, but not always, indicate more calving difficulty. The figure in parentheses found after each EPD is an accuracy value or reliability of the EPD.

Weaning Weight (WW) WW EPD is an estimate of pre-weaning growth that is measured in pounds. For example, if sire A has a WW EPD of 60 and sire B has a WW EPD of 40, then you would expect on average if comparably mated, sire A's calves would weigh 20 lb. heavier at weaning when compared to sire B's calves.

Yearling Weight (YW) YW EPD is an estimate of post-weaning growth that is measured in pounds. For example, if sire A has a YW EPD of 100 and sire B has a YW EPD of 70, then you would expect on average if comparably mated, sire A's calves would weigh 30 lb. heavier at a year of age when compared to sire B's calves.

Dry Matter Intake (DMI) The DMI EPD predicts the daily consumption of pounds of feed. For example, if sire A has a DMI EPD of 1.1 and sire B has a DMI EPD of 0.1, you would expect sire B's progeny, if comparably mated, to consume on average 1 pound of feed less per day.

Scrotal Circumference (SC) Measured in centimeters and adjusted to 365 days of age, SC EPD is the best estimate of fertility. It is related to the bull's own semen quantity and quality, and is also associated with age at puberty of sons and daughters. Larger SC EPDs suggest younger age at puberty. Yearling sons of a sire with a 0.7 SC EPD should have yearling scrotal circumference measurements that average 0.7 centimeters (cm) larger than progeny by a bull with an EPD of 0.0 cm.

Sustained Cow Fertility The AHA's new SCF EPD is a prediction of a cow's ability to continue to calve from three years of age through 12 years of age, given she calved as a two-year-old. The EPD is expressed as a deviation in the proportion of the 10 possible calvings to 12 years old expressed as a probability. For example, the daughters of a bull with a 30 EPD would have the genetic potential to have one more calf by age 12 than the daughters from a bull with a 20 EPD. In other words, the daughters from the 30 EPD bull would have a 10% greater probability of having one more calf than the bull with a 20 EPD. This is equivalent to saying that the daughters are 10% more likely to remain in the herd to age 12.

Maternal Milk (MM) The MM EPD of a sire's daughters is expressed in pounds of calf weaned. It predicts the difference in average weaning weights of sires' daughters' progeny due to milking ability. Daughters of the sire with a +14 MM EPD should produce progeny with 205-day weights averaging 24 lb. more (as a result of greater milk production) than daughters of a bull with a MM EPD of -10 lb. (14 minus -10.0 = 24 lb.). This difference in weaning weight is due to total milk production during the entire lactation.

Maternal Milk & Growth (M&G) The M&G EPD reflects what the sire is expected to transmit to his daughters for a combination of growth genetics through weaning and genetics for milking ability. It is an estimate of the daughter's progeny weaning weight. A bull with a 29 lb. M&G EPD should sire daughters with progeny weaning weights averaging 19 lb. heavier than progeny of a bull's daughters with a M&G EPD of 10 lb. (29 minus 10 = 19 lb.). It is equal to one-half the sire's weaning weight EPD, plus all of his MM EPD. No accuracy is associated with this since it is simply a mathematical combination of two other EPDs. It is sometimes referred to as "total maternal" or "combined maternal."

Maternal Calving Ease (MCE) MCE EPD predicts how easily a sire's daughters will calve at two years of age and is measured on a percentage. For example, if sire A has a MCE EPD of 7 and sire B has a CE EPD of -3, then you would expect on average if comparably mated, sire A's daughters would calve with a 10% more likely chance of being unassisted when compared to sire B's daughters.

Mature Cow Weight (MCW) The MCW EPD was designed to help breeders select sires that will either increase or decrease mature size of cows in the herd. The trait was developed after years of cow weight data collection and the EPD relates directly to the maintenance requirements of a cow herd. For example, if sire A has a MCW EPD of 100 and sire B has an EPD of 85, then you would expect the females of sire A, if comparably mated, to be 15 lb. heavier at mature size.

Udder suspension (UDDR) UDDR EPDs are reported on a 9 (very tight) to 1 (very pendulous) scoring scale. Differences in sire EPDs predict the difference expected in the sires' daughters' udder characteristics when managed in the same environment. For example, if sire A has a UDDR EPD of 0.4, and sire B has a UDDR EPD of -0.1, the difference in the values is 0.5, or one-half of a score. If daughters of sires A and B are raised and managed in the same environment, you would expect half a score better udder suspension in daughters of sire A, compared to sire B.

Teat size (TEAT) TEAT EPDs are reported on a 9 (very small) to 1 (very large, balloon shaped) scoring scale. Differences in sire EPDs predict the difference expected in the sires' daughters' udder characteristics when managed in the same environment. For example, if sire A has a teat size EPD of 0.4, and sire B has a teat size EPD of -0.1, the difference in the values is 0.5, or one-half of a score. If daughters of sires A and B are raised and managed in the same environment, you would expect half a score smaller teat size in daughters of sire A, compared to sire B.

Carcass Weight (CW) CW EPD is a beneficial trait when considering the impact that pounds have relative to end product value. At the same age constant endpoint, sires with higher values for carcass weight will add more pounds of hot carcass weight compared to sires with lower values for carcass weight. For example, if sire A has a CW EPD of 84 and sire B has a CW EPD 64, then you would expect the progeny of sire A, if harvested at the same age constant endpoint, to have a 20-lb. advantage in terms of hot carcass weight.

Rib Fat (FAT) The FAT EPD reflects differences in adjusted 365-day, 12th-rib fat thickness based on carcass measurements of harvested cattle. Sires with low, or negative FAT EPDs, are expected to produce leaner progeny than sires with higher EPDs. Ultrasound measures are also incorporated into this trait and have been shown to be highly correlated with the performance of slaughter progeny. All data is expressed on a carcass scale.

Ribeye Area (REA) REA EPDs reflect differences in an adjusted 365-day ribeye area measurement based on carcass measurements of harvested cattle. Sires with relatively higher REA EPDs are expected to produce better- muscled and higher percentage yielding slaughter progeny than will sires with lower REA EPDs. Ultrasound measurements are also incorporated into this trait and have been shown to be highly correlated with the performance of slaughter progeny. All data is expressed on a carcass scale.

Marbling (MARB) MARB EPDs reflect differences in an adjusted 365-day marbling score (intramuscular fat, [IMF]) based on carcass measurements of harvested cattle. Breeding cattle with higher MARB EPDs should produce slaughter progeny with a higher degree of IMF and therefore higher quality grades. Ultrasound measurements are also incorporated into this trait and have been shown to be highly correlated with the performance of slaughter progeny. All data is expressed on a carcass scale.

Baldy Maternal Index (BMI\$) The BMI\$ is a maternally focused index that is based on a production system that uses Hereford x Angus cross cows. Progeny of these cows are directed towards Certified Hereford Beef. This index has significant weight on Sustained Cow Fertility, which predicts fertility and longevity of females. There is a slightly positive weight on Weaning Weight, Mature Cow Weight and Milk which accounts for enough growth but ensures females do not increase inputs. There is some negative emphasis on Dry Matter Intake, but a positive weighting on Carcass Weight which is anticipated to provide profitability from finishing of non-replacement females and castrated males. Marbling and Rib-eye Area are also positively weighted to keep the harvested progeny successful for CHB. This index is geared to identify Hereford bulls that will be profitable when used in a rotational cross with mature commercial Angus cows.

Brahman Influence Index (BII\$) The BII\$ is a maternally focused index that is based on a production system that uses Brahman x Hereford cross cows. This index targets producers that use Hereford bulls on Brahman influenced cows.

Certified Hereford Beef Index (CHB\$) CHB\$ is a terminal sire index that is built on a production system where Hereford bulls are mated to mature commercial Angus cows and all progeny will be targeted for Certified Hereford Beef© after the finishing phase. This index has significant weight on Carcass Weight to ensure profit on the rail. As well there is a positive weighting for Average Daily Gain along with a negative weighting on Dry Matter Intake to ensure efficient pounds of growth in the finishing phase. Keep in mind, this production system takes advantage of complimentary breeding with the commercial Angus cow. Although Marbling is weighted positively in this index, a positive weighting for Rib-eye Area and a negative weighting for Back Fat are a greater priority in this index to allow for optimum end-product merit. This is the only index that has no emphasis on fertility. Remember that no replacement heifers are being retained.

061X	OR 16	SC XM	1ARK (061X (F	P4430	8134)										
		4430	08134	·	Scurre	ed				5/20/2	2020					Ratio
															BW	84%
E	EFBE	EF FO	DREM	OST U	208 {S	SOD,CI	HB,DI	LF,HY	F,IEF	,MSUI	DF} (P	42896	690)		WW	102%
Sire: SC	CHU-L	AR S	ELEC	TION 1	6C {C	HB,DL	F,HY	F,IEF	,MSUI	DF,ME)F} (P	435916	889)		ΥW	100%
5	SCHU	I-LAR	913 C	F 208	M326	ET {D	LF,H	YF,IEF	F,MSU	IDF} (F	P4303	6258)		5	Scrotal	36.0
														12/22	/21 Wt	1270
	OR 35	75 H	USKE	R N162	2 ET {(CHB,D	LF,H	YF,IEF	F} (432	268578	3)				Feed E	fficiency
Dam: O	R N16	62 MI	SS HL	JSKER	L528	{DLF,H	HYF,II	EF} (4	37459	950)					ADG	4.22
	OR 90)59 M	ISS BI	EEF J0	09 (DI	LF,HYI	F,IEF	(431	73341)					RFI	0.21
														FE	Index	-\$9.19
6/10/2	2021	WT	893												BMI	CHB
															\$454	\$171
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
15.0	-2.4	48	81	0.1	1.0	21.2	24	48	9.3	77	1.20	1.40	75	0.07	0.49	0.60

B057 OR L574 HISTORI	C B057 (4430	03869)									
44303869	Horned	d			5/18/2	2020					Ratio
										BW	93%
OR 3575 HUSKER										WW	113%
Sire: OR N162 HUSKER L	.574 (CHB,DI	LF,HYF,IE	F,MSl	JDF} (43745	946)				ΥW	111%
DS RAM DOMET 7	02 (DLF,HYF	F,IEF} (428	377029	9)					5	Scrotal	39.0
									12/22	/21 Wt	1325
EFBEEF M821 BE	EF EATER U	332 (DLF,	HYF,II	EF,MS	SUDF}	(P428	96725)		Feed E	Efficiency
Dam: OR U332 MISS BEE	F EATER 30	8T {DLF,H	HYF,IE	F} (P4	134729	989)				ADG	5.35
OR 3027 MISS DO	MINO 115R	(43266037	7)							RFI	-0.96
									FE	Index	\$13.99
6/10/2021 WT 1000										BMI	CHB
										\$452	\$174
CED BW WW YW	DMI SC S	SCF MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
10.5 0.2 51 88	0.3 1.8 2	21.0 21	46	1.8	69	1.30	1.30	71	0.07	0.68	0.68

088C	OR 22	26Z P	REMIE	ER 088	C (P4	430812	23)									
		4430	08123		Polled	ł	,			5/31/2	2020					Ratio
															BW	105%
	SHF F	RIB E	YE M3	26 R11	7 {CH	IB,SOE	D,DLF	HYF	,IEF} (P4258	34003))			WW	108%
Sire: F	TF PR	IME F	PRODU	JCT 22	6Z {C	HB,DL	F,HY	F,IEF) (P43	28949	6)				YW	111%
	FTF C	CLASS	SIC MI	SS 020	6X {D	LF,HY	F,IEF	} (P43	307492	25)					Scrotal	40.0
														12/22	/21 Wt	1385
	OR 35	575 H	USKE	R N151	ET {(CHB,D	LF,H	YF,IEF	⁻ } (432	268575	5)				Feed E	fficiency
Dam: 0	DR N1	51 MI	SS HL	JSKER	S423	ET {D	LF,H	/F,IEF	F} (P43	364754	49)				ADG	5.21
	SHF \	/ICKII	E U36	X194 {	DLF,F	IYF,IEI	F} (P ²	13078	214)						RFI	-2.16
														FE	Index	\$22.13
6/10)/2021	WT	972												BMI	CHB
															\$416	\$151
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
3.2	2.5	62	101	0.0	1.7	18.9	35	66	6.4	67	1.20	1.40	73	0.05	0.52	0.35

081A	OR 36F ASSET 081	A (P44308125)
	44308125	Polled

5/27/2020 Ratio BW 106%

NJW 98S R117 RIBEYE 88X ET {SOD,CHB,DLF,HYF,IEF,MSUDF,MDF} (43094146 WW 114% Sire: SCHU-LAR ASSET 36F {CHB,DLF,HYF,IEF,MSUDF} (P43910830) YW 103%

SCHU-LAR 9Z VIVIAN 001 22S {DLF,HYF,IEF,MSUDF} (P43271542)

Scrotal 40.0 12/22/21 Wt 1350

OR 3575 HUSKER N151 ET {CHB,DLF,HYF,IEF} (43268575) Feed Efficiency

Dam: OR N151 MISS HUSKER S315 {DOD,DLF,HYF,IEF} (P43472979) OR MISS FRANK 906F (P43068239) ADG 3.55 RFI -2.87

¢152

6/10/2021 WT 911

FE Index -\$9.22 BMI CHB

\$131

_																ΨTOT) •
	CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
	4.1	1.8	51	80	0.0	1.1	20.6	26	51	3.3	57	1.20	1.40	66	0.06	0.48	0.52

054F OR A250 FORTUNE 054F (P44304459)

44304459 Polled 5/17/2020 Ratio

BW 87%
DLF.HYF.IEF.MSUDF} (P430917; WW 118%

EFBEEF TFL U208 TESTED X651 ET {CHB,SOD,DLF,HYF,IEF,MSUDF} (P430917; WW 118% Sire: EFBEEF X651 TESTED A250 {CHB,DLF,HYF,IEF,MSUDF} (P43440096) YW 104%

EFBEEF 6378 KATE W484 {DLF,HYF,IEF,MSUDF} (P43032139) Scrotal 37.0

12/22/21 Wt 1290

OR 3575 HUSKER N162 ET {CHB,DLF,HYF,IEF} (43268578) Feed Efficiency

Dam: OR N162 MISS HUSKER L709 (43968177) ADG 4.01
DS RAM DOMET 606 {DLF,HYF,IEF} (42781492) RFI 1.20

FE Index -\$27.62

6/10/2021 WT 950 BMI CHB

															\$456	\$104
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
11.6	-0.4	57	86	0.6	1.3	22.0	32	60	4.9	74	1.40	1.40	76	0.09	0.46	0.69

067F OR A250 FORTUNE 067F (P44304422)

44304422 Polled 5/23/2020 Ratio BW 101%

EFBEEF TFL U208 TESTED X651 ET {CHB,SOD,DLF,HYF,IEF,MSUDF} (P430917;WW 110%

Sire: EFBEEF X651 TESTED A250 {CHB,DLF,HYF,IEF,MSUDF} (P43440096) YW 107% EFBEEF 6378 KATE W484 {DLF,HYF,IEF,MSUDF} (P43032139) Scrotal 36.5

12/22/21 Wt 1285

SCHU-LAR CONVERSION 501 ET {DLF,HYF,IEF,MSUDF} (P43624399) Feed Efficiency
Dam: OR 501 MISS COMPETITOR C810 (P44068483) ADG 4.63

OR U332 MISS BEEF EATER 211T {DLF,HYF,IEF} (P43373874) RFI 0.11 FE Index -\$3.38

6/10/2021 WT 930 BMI CHB \$452 \$138

															9 4 52	φIOO
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
8.1	1.5	63	93	0.4	1.2	22.7	23	54	3.1	78	1.60	1.50	64	0.06	0.38	0.50

069C OR 226Z PREMIER 069C (44308130)

_	•	4430	08130		Horne	ed				5/24/2	2020					Ratio
															BW	96%
	SHF F	RIB E	YE M3	26 R11	7 {CH	IB,SO	D,DLF	F,HYF	,IEF} (P4258	34003))			WW	97%
Sire: F	TF PR	IME F	PROD	JCT 22	6Z {C	HB,DL	F,HY	F,IEF	(P43	28949	6)				YW	85%
	FTF C	CLASS	SIC MI	SS 020	6X {D	LF,HY	F,IEF	·} (P43	30749	25)				5	Scrotal	37.0
					-									12/22	/21 Wt	1185
	EFBE	EF M	821 BI	EEF EA	ATER	U332 {	DLF,	HYF,II	EF,MS	SUDF}	(P428	396725)		Feed E	Efficiency
Dam: (DR U3	32 MI	SS BE	EF EA	TER 3	304T {E	DLF,H	IYF,IE	F} (P4	134729	999)				ADG	3.25
	OR 30)27 M	ISS D	OMINO	101F	R (4326	6039)							RFI	-2.47
														FE	Index	-\$2.31
6/10)/2021	WT	757												BMI	CHB
															\$414	\$142
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
7.1	0.7	51	73	-0.2	1.8	19.2	31	57	6.3	75	1.30	1.30	68	0.02	0.42	0.36

10 100A ON 301 ASSET 0 100A (F44300 113)	OR 36F ASSET 0100A	(P44308119)
--	--------------------	-------------

		4430	08119		Scurr	ed				6/21/2	2020					Ratio
															BW	115%
	NJW	98S R	117 R	BEYE	88X E	ET {SO	D,CH	IB,DLI	F,HYF	,IEF,N	1SUDF	F,MDF	(430	94146	WW	119%
Sire: S	CHU-I	LAR A	SSET	36F {C	CHB,D	LF,HY	F,IEF	,MSU	DF} (F	P43910	0830)				ΥW	96%
	SCHU	J-LAR	9Z VI	VIAN 0	01 22	S {DLF	HYF	F,IEF,N	ИSUD	F} (P4	32715	42)		5	Scrotal	36.0
														12/22	/21 Wt	1130
	DS 10)45 AI	OVAN	CE 357	5N {C	HB,DL	F,HY	F,IEF	(423	94633)				Feed E	fficiency
Dam: 0	OR 35	75 MI	SS AD	VANCE	E N60	2 {DLF	,HYF	,IEF} ((4386)	(0800					ADG	4.62
	OR 30	027 M	ISS D	OMINO	217F	R {DLF,	HYF,	IEF} (43374	1239)					RFI	-0.84
														FE	Index	\$20.87
6/10)/2021	WT	780												BMI	CHB
															\$457	\$153
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
-1.1	3.0	51	76	0.1	1.0	21.6	31	56	-0.2	74	1.20	1.40	72	0.03	0.66	0.48

ı	\sim	OR 501 COMPETITOR C099	(VADD)	(D44202070)
ı	C099		$\{ V D P\}$	(1244303079)

		4430)3879		Scurre	ed				6/20/2	2020					Ratio
															BW	111%
	KCF E	BENN	ETT II	NFLUE	NCE Z	280 (CI	HB,DI	LF,HY	F,IEF	} (P43	28258	7)			WW	108%
Sire: S	CHU-L	_AR C	ONVE	ERSION	N 501	ET {DL	F,HY	F,IEF	,MSU	DF} (P	43624	1399)			ΥW	107%
	SCHU	J-LAR	10X (OF 22U	N093	{DLF,	HYF,	IEF} (I	P4308	4010)					Scrotal	38.0
														12/22	/21 Wt	1190
	SHF L	LITER	AL W	18 Y90	{CHB	,DLF,F	IYF,IE	EF,MC)P} (P	43181	182)				Feed E	Efficiency
Dam: (OR Y9	0 SAN	1DY 42	21S (DI	_F,HY	F,IEF,I	MDP)	(P43	63582	(0)					ADG	4.80
	OR M	ISS F	OUNE	OITAC	I 208F	{DLF,	HYF,	IEF} (P4337	73886)					RFI	0.77
														FE	Index	\$3.09
6/10)/2021	WT	883												BMI	CHB
															\$405	\$121
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
1.7	3.1	61	91	0.1	1.2	19.8	21	51	1.8	93	1.40	1.40	56	0.04	0.37	0.35

C077 OR	501 COMPETITO	R C077 (P443044	1 11)		
-	44304411	Scurred	5/26/2020		Ratio
				BW	103%
KCF	F BENNETT INFLU	JENCE Z80 {CHE	3,DLF,HYF,IEF} (P43282587)	WW	122%
Sire: SCHU	J-LAR CONVERSI	ON 501 ET {DLF,	,HYF,IEF,MSUDF} (P43624399)	YW	112%
SCI	HU-LAR 10X OF 2	2U N093 {DLF,H\	YF,IEF} (P43084010)	Scrotal	34.0
				12/22/21 Wt	1250
FTF	PRIME PRODUC	T 226Z {CHB,DL	F,HYF,IEF} (P43289496)	Feed E	fficiency
Dam: OR 2	26Z MISS PREMI	ER 813C (440685	576)	ADG	4.31
OR	N151 MISS HUSK	ER S402 {DLF,H	YF,IEF} (43635806)	RFI	-0.85
				FE Index	-\$9.20
6/10/202	21 WT 965			BMI	CHB

															ψ 4 1 <i>1</i>	ψ14Z
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
7.3	1.1	61	89	0.3	1.3	19.3	24	55	7.3	100	1.50	1.50	67	0.03	0.64	0.43

058Z	OR Z'	115 G	ENER	ATOR	058Z	(P4430	08136	3)									
		4430	08136		Polled	t				5/19/2	2020					Ratio	
															BW	102%	
	KCF E	BENN	ETT R	EVOL	JTION	I X51 {	СНВ,	SOD,I	DLF,H	IYF,IE	F,MDF	F} (P43	0815	56)	WW	103%	
Sire: S	HF ZA	NE X	51 Z1	15 (CHI	B,DLF	,HYF,I	EF} (P4327	(6663)					ΥW	102%	
	SHF F	ORE	VER F	20 X17	72 {DC	DD,DLF	F,HYF	F,IEF}	(P430	78192	2)				Scrotal	39.0	
														12/22	/21 Wt	1270	
	EFBE	EF M	821 BI	EEF EA	ATER	U332 {	DLF,I	HYF,II	EF,MS	SUDF}	(P428	396725	5)		Feed E	fficiency	
Dam: 0	OR U3	32 MI	SS BE	EF EA	TER 3	306T {E	DLF,H	IYF,IE	F} (P4	134729	964)				ADG	4.84	
	DS RA	AM D	OMET	702 {D	LF,H	/F,IEF	} (428	377029	9)						RFI	-1.57	
														FE	Index	\$14.01	
6/10)/2021	WT	919												BMI	CHB	
															\$418	\$135	
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB	
9.1	2.4	54	86	0.2	1.6	20.1	17	44	7.5	83	1.40	1.40	62	-0.01	0.62	0.33	l

K051	OR N	753 S	TRAT	EGIC K	(051 (4	443038	371)									
		4430	3871		Horne	ed				5/15/2	2020					Ratio
															BW	95%
	DS 10	45 A[OVAN	CE 357	5N {C	HB,DL	F,HY	F,IEF	(423	94633)				WW	92%
Sire: C	R 357	5 AD\	/ANC	E N753	{DLF	HYF,II	EF} (4	13968	107)						ΥW	96%
	OR 30)27 M	ISS D	OMINC	006F	R {DOD	,DLF	,HYF,	IEF} (4	43173	323)			5	Scrotal	35.5
														12/22	/21 Wt	1230
	LOEW	/EN F	OUNE	OITAC	1 34X	{SOD,	DLF,ŀ	HYF,IE	EF,MS	SUDF,	MDF} ((P4307	4983)	Feed E	fficiency
Dam: 0	OR MIS	SS FC	DUNDA	NOITA	311F -	(DLF,F	YF,IE	EF} (P	43472	2940)					ADG	4.57
	OR M	ISS R	ESOL	JRCE T	012 (I	P4317	3328)								RFI	-1.11
														FE	Index	\$9.19
6/10	0/2021	WT	877												BMI	CHB
															\$455	\$133
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
6.3	0.6	46	73	-0.1	0.9	22.8	25	48	4.0	66	1.40	1.50	62	0.03	0.44	0.34

Bull Sale

Saturday, January 29, 2022

12:30 PM

OLSEN RANCHES,INC

ARTHUR OLSEN

DOUGLAS OLSEN (308) 641-1273

(308) 631-3104

\$22.13 -\$9.22 -\$27.62 -\$3.38 -\$31.89-\$6.66 \$20.87 -\$9.20 -\$5.43 \$28.70 \$13.99 -\$2.31 \$9.19 \$14.22 \$5.19 \$13.14 -\$9.19\$3.09 \$9.08 \$14.01 Index \overline{FE} FEED EFFICIENCY TRIAL (April 2, 2021 - June 10, 2021) -0.56 -0.18 -0.64 -0.63 -0.14 0.16 -0.24 90.0 0.29 0.43 0.45 0.23 -0.270.24 0.26 0.16 0.71 0.77 0.52 0.27 RG RFI (1b) -2.93 -0.96 -2.16 -0.85 -2.47 -0.84 -0.53 -2.87 -1.57 -1.11 -0.61 1.203.95 0.92 0.96 1.200.83 0.11 0.21 0.77 DM 5.46 4.25 4.85 5.15 4.58 4.86 4.68 4.98 4.64 F/G4.39 5.43 5.08 5.08 5.35 5.70 5.90 5.74 5.32 5.02 ADJ 5.24 3.92 5.65 4.88 5.86 4.59 4.69 6.52 5.35 4.38 4.80 4.76 4.95 5.46 Daily (lb) F/G 5.42 5.73 4.92 5.49 4.80 5.11 6.41 Index | Index | 10-Jun 70 Day Intake (DM) 23.82 26.07 23.94 26.16 23.24 22.46 32.86 26.86 23.80 22.48 22.76 16.07 20.82 25.08 20.2224.53 24.7221.29 17.37 22.47 Gain 5.35 3.25 4.09 4.22 3.55 4.80 5.13 4.90 5.00 4.68 4.60 4.01 4.63 4.62 4.84 4.57 4.12 4.54 5.21 4.31 Final Wt 1000 1088 893 950 930 780 965 919 896 868 794 816 712 972 883 797 803 757 877 911 \$174 \$140 \$155 CHB \$138 \$153 \$135 \$143 \$165 \$171 \$151 \$152 \$164 \$142 \$142 \$133 \$143 \$133 \$177 \$172 \$121 <u>8</u> \$448 \$416 \$434 \$426 \$454 \$452 \$458 \$414 \$405 \$418 \$455 \$380 \$470 \$478 \$468 \$452 \$463 \$457 \$417 BMI\$431 <u>€</u> 0.35 0.69 0.60 0.52 0.68 0.50 0.48 0.35 0.57 0.36 0.43 0.33 0.34 0.39 0.48 0.48 0.43 0.59 Marb 0.73 0.54 0.48 0.46 0.68 0.52 0.38 0.42 99.0 0.44 0.85 0.78 0.49 0.37 0.64 0.62 0.13 0.37 Area 0.57 0.41 0.67 0.37 Eye Rib 90.0 90.0 0.03 -0.01 0.07 0.05 0.04 0.03 0.05 0.04 0.03 0.09 0.02 0.03 0.04 0.04 0.03 0.07 0.07 0.07 Fat Carc 92 26 65 65 Wt 75 73 99 89 72 62 62 72 63 64 55 69 73 71 64 67 Teat Size 1.5 1.4 1.4 1.4 1.5 1.5 1.4 1.5 1.5 1.4 1.4 1.3 1.3 1.4 1.4 1.2 1.3 1.3 1.4 1.4 Susp Udd 1.3 1.2 1.3 1.2 1.2 1.4 1.6 1.3 1.2 1.4 1.5 1.4 1.4 1.5 1.2 1.3 1.4 1.4 1.2 1.1 Cow100 127 46 Wt 95 Milk | Calv. | Mat 78 75 99 70 77 69 74 74 93 83 73 72 84 67 57 81 Ease 11.5 Mat. -0.5 -0.2 4.5 9.3 1.8 6.4 4.9 6.3 1.8 7.3 7.5 4.0 1.7 6.4 3.8 4.4 3.3 3.1 2.1 Grwth 46 56 55 48 99 55 48 43 54 44 50 09 දු 09 57 44 54 47 57 51 51 Mlk 24 35 26 23 24 25 28 25 24 24 22 32 32 21 32 31 31 2117 19.8 18.9 20.6 22.0 21.2 21.0 19.2 21.6 19.8 19.3 22.8 22.9 24.0 21.9 21.9 19.5 21.8 22.7 SCF20.1 18.1 Circ. ა. 0. 8. 7. 0. 0. Scrot 7 ∞ 0. \mathfrak{S} 9 9 $^{\circ}$ 7 დ. დ. \mathcal{O} 2020 Born Bulls DMI -0.2 0.3 0.0 0.0 9.0 0.4 -0.1 -0.1 0.3 0.1 0.1 0.2 0.5 0.1 0.1 0.4 0.2 0.0 0.0 0.1 Ease Birth Wean Year Wt 103 101 88 80 86 93 73 92 86 78 92 96 78 81 89 73 91 97 92 Wt 48 46 65 26 51 62 63 54 46 62 54 48 43 47 57 51 51 51 61 61 -2.4 -0.4 -0.4 9.0 -0.9 -0.3 Wt 0.2 2.5 1.8 1.5 3.0 -2.1 0.7 2.4 2.2 3.2 4.0 3.1 1.1 1.1 Direct Calv. 15.0 12.5 11.6 11.6 10.5 -1.1 1.9 5.8 3.2 7.3 6.3 3.2 4.1 8.1 8.7 3.7 2.1 7.1 9.1 Dam S315 421S N320 521K519K N120 304T 813C 306T311FF0111 737F 061X L528 S423 716Z B057 308T F0110 730R 067F C810 0100A N602 070X 409B 054F L709 088C 081A C065 069C 0105V C099 056Z K063 K059 C077 058Z K051 10 11 13 14 15 16 17 12 18 4 \mathbf{C} 9 7 6

 ∞

Calv.				Sc	Scrot		Milk	Calv.	Mat				Rib	QI	BMI	<u>I</u> CHB	FEED 1	EFFICIE	FEED EFFICIENCY TRIAL (April 2, 2021 - June 10, 2021)	(April 2, 2	2021 - Ju	ne 10, 20	21)
irth	>	Birth Wean	Year		al		න්	Ease	Cow	Udd Teat	at Carc	rc	Eye	بو	Index	x Index	10-Jun	70 Day	70 Day Intake (DM)	(I) ADJ	J DM		五日
Wt		Wt	Wt L	DMI Ci	Circ. SCF	Mlk	Grwth	Mat.	Wt S	Susp Size	ze Wt	t Fat	t Area	ea Marb	(\$)	(\$)	Final Wt	Gain	Daily (1b)	F/G F/G	G RFI (1b)	b) RG	Index
-2.1		44	87			32					67	7 0.05	0.36	96 0.59	6		947	5.01	25.60	5.12 4.79	60.0	0.38	\$4.92
Ō	-0.6	48	91			24					63	3 0.04	0.49	19 0.53	3		938	4.94	25.01	5.07 4.79	79 -0.18	8 0.37	\$6.17
	-1.3	46	92			39					74	4 0.05	0.48	18 0.57	7		1073	4.34	30.14	6.94 5.68	1.94	1 -0.63	-\$38.23
	-3.1	40	98			41					65	5 0.06	0.1	5 0.56	9		936	5.00	25.74	5.15 4.86	36 0.42	0.35	\$3.52
	1.4	42) 69	0.1 0	0.7 20.1	1 25	46	6.3	41	1.3 1.	.2 68	8 0.04	0.55	55 0.48	8 \$421	1 \$149	930	4.26	23.60	5.54 5.14	[4 -1.10	0 -0.15	-\$4.99
	1.7	39	64	-0.4	1.2 18.3	3 22	42	1.9	70	1.3 1.4	4 63	3 0.04	0.46	16 0.52	2 \$407	7 \$158	808	4.66	20.25	4.34 4.66	56 -1.60	0.49	\$23.10
'	-0.1	55	82 (0.3 0	0.9 27.6	5 19	47	7.9	83	$1.6 \mid 1.7$	7 62	2 0.02	0.65	55 0.39	9 \$526	6 \$133	396	4.29	26.08	6.08 5.45	15 0.49	-0.35	-\$18.29
'	-4.2	41	70 (0.4 1	1.2 20.2	2 31	52	6.7	40	1.3 1.4	4 62	2 0.09	0.13	3 0.56	66 \$366	9 \$134	889	4.20	24.81	5.91 5.74	74 1.35	5 -0.37	-\$16.24
'	-0.1	49	72 (0.1 1	1.2 20.3	3 25	49	4.4	55	1.4 1.4	4 57	7 0.03	0.61	0.79	9 \$436	6 \$166	923	4.72	24.74	5.24 5.02	0.17	0.17	\$0.72
	2.0	48	84 (0.0	0.8 21.9	9 14	38	3.6	84	1.4 1.4	4 65	5 0.02	0.55	55 0.32	2 \$447	7 \$140	847	4.38	23.11	5.28 5.35	35 0.39	-0.05	-\$1.60
	1.2	99	98	0.3 1	1.4 20.1	1 21	49	1.8	75	1.4 1.5	5 71	1 0.07	0.36	980 0.80	0 \$438	8 \$176	881	4.36	25.53	5.85 5.75	75 2.11	-0.29	-\$16.15
	1.6	49	75	-0.1 0	0.6 21.5	5 27	51	1.0	37	1.4 1.	5 62	2 0.03	0.45	15 0.34	4 \$433	3 \$131	832	4.27	21.32	5.00 5.1	1 -1.03	3 0.02	\$5.87
	1.7	50	78 (0.0	0.9 21.4	4 27	52	2.0	51	1.3 1.4	4 63	3 0.03	0.53	53 0.5	5 \$447	7 \$154	840	4.35	22.00	5.06 5.18	18 -0.42	2 0.03	\$4.09
	2.7	48	83	-0.2 0	0.9 20.2	2 25	49	2.9	09	1.4 1.	5 58	8 0.00	0.44	0.28	8 \$417	7 \$133	860	4.18	19.26	4.61 4.55	55 -3.80	0.17	\$17.38
	2.9	57) 96	0.3 1	1.4 19.4	1 29	57	5.9	74	$1.4 \mid 1.5$	5 69	00.0	0.65	55 0.3	1 \$414	4 \$141	891	4.08	24.68	6.05 5.84	34 1.20	0.00	-\$18.84
-	4.0	59) 66	0.2	1.2 22.1	1 24	54	5.3	84	1.3 1.	3 69	9 -0.01	0.74	74 0.3	5 \$461	1 \$149	973	4.78	26.76	5.59 5.10	0.86	0.06	-\$8.06
	0.8	51	84 (0.1 1	1.2 21.0) 26	51	4.3	72	1.3 1.4	4 66	6 0.04	0.50	0.49	.9 \$439	9 \$149	968	4.51	23.77	5.29 5.13	13 -0.16	90.0	-\$0.22
	2.8	53) 98	0.2	1.0 16.5	5 25	52	1.8	06	1.2 1.3	3 67	7 0.02	0.39	9 0.1	1 \$352	2 \$113							

Lower is more desirable.

F/G adjusted for an animal's body weight

intake based on the size

and growth during the test. Lower is more desirable.

an animal's actual feed intake and the predicted

The difference between

Lower is more desirable.

出 body weight. Higher is more desirable. actual weight gain and between an animal's based on intake and the predicted gain The difference

RG

RFI

gain and cost of intake. Higher is An Index to combine value of more desirable. Index

> * 1/2 Red Angus 1/2 Hereford - Estimated EPD with a Hereford base using MARC across breed adjustments

C065 OR 501 COMPETITOR C065 (P44304689)

	_	4430	04689		Polled	t				5/22/2	2020					Ratio
															BW	110%
	KCF E	BENN	ETT I	NFLUE	NCE Z	Z80 (CI	HB,DI	LF,HY	F,IEF	} (P43	28258	7)			WW	121%
Sire: S	CHU-L	AR C	ONVE	ERSION	V 501	ET (DL	F,HY	F,IEF	,MSU	DF} (F	43624	1399)			YW	122%
	SCHU	J-LAR	10X (OF 22U	N093	DLF,	HYF,	IEF} (I	P4308	4010)				5	Scrotal	35.0
														12/22	/21 Wt	1395
	DS 10	45 AI	OVAN	CE 357	5N {C	HB,DL	F,HY	F,IEF	(423	94633)				Feed E	fficiency
Dam: 0	OR 357	75 MIS	SS AD	VANCE	E N32	0 (DLF	,HYF	,IEF} ((43472	2953)					ADG	5.13
	DS 90	59 M	S BEE	F 711	(4287	7030)									RFI	3.95
														FE	Index	-\$31.89
6/10)/2021	WT	1088												BMI	CHB
															\$426	\$143
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
1.9	4.0	62	97	0.5	1.1	19.8	14	44	1.7	127	1.50	1.50	72	0.03	0.85	0.39

070X OR 1	6C XI	IARK	070X (F	P4430	3875)										
	4430	03875		Polled	t				5/24/2	2020					Ratio
														BW	97%
EFB	EEF FO	OREM	OST U	208 {S	SOD,C	HB,D	LF,HY	F,IEF	,MSUI	DF} (P	42896	690)		WW	108%
Sire: SCHU-	-LAR S	ELEC	TION 1	6C {C	HB,DL	F,HY	F,IEF	,MSU	DF,ME)F} (P	435916	389)		YW	109%
SCH	U-LAR	913 0	OF 208	M326	ET {D	LF,H	YF,IEF	F,MSU	JDF} (F	P4303	6258)		Ç	Scrotal	36.0
													12/22	/21 Wt	1320
GEN	OAS B	ONAN	NZA 11	051 {S	SOD,DI	LF,H۱	/F,IEF	,MSU	DF,MI	DF} (P	43174	342)		Feed E	fficiency
Dam: OR M	ISS BO	DNANZ	ZA 409	B {DO	D,DLF	,HYF	,IEF} ((4363	5831)					ADG	4.90
OR N	ΛISS P	ROGF	RESS 1	13P {	IEP} (F	4326	6038)							RFI	0.92
													FE	Index	-\$5.43
6/10/202	1 WT	968												BMI	CHB
														\$380	\$140
CED BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
8.7 -0.9	54	92	0.4	1.2	18.1	28	54	6.4	73	1.20	1.20	63	0.05	0.13	0.48

K063	OR N	753 S	TRATI	EGIC K	(063 ((44304	150)									
	•	4430	04150		Horne	ed				5/22/2	2020					Ratio
															BW	106%
	DS 10)45 A[OVANO	CE 357	5N {C	HB,DL	F,HY	F,IEF	(423	94633)				WW	108%
Sire: O	R 357	5 AD\	/ANC	E N753	{DLF	,HYF,II	ΞF} (4	13968	107)						ΥW	101%
	OR 30)27 M	ISS D	OMINC	006F	R {DOD	,DLF	,HYF,	IEF} (4	43173	323)			5	Scrotal	35.0
														12/22	/21 Wt	1270
				P20 {											Feed E	fficiency
Dam: 0	OR MIS	SS PF	ROGRI	ESS 52	21K {D	LF,HY	F,IEF	} (437	47048	3)					ADG	5.00
	OR 35	575 M	ISS AI	DVANC	CE N3	20 (DL	F,HY	F,IEF)	(4347	72953))				RFI	-0.53
														FE	Index	\$14.22
6/10)/2021	WT	898												BMI	CHB
															\$463	\$143
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
3.7	1.1	48	78	0.2	1.1	22.9	25	50	-0.5	81	1.10	1.30	64	0.04	0.57	0.48

K059	OR N	753 S	TRAT	EGIC k	(059 (4	44304 <i>°</i>	148)									
		4430)4148		Horne	ed				5/20/2	2020					Ratio
															BW	108%
1	DS 10	45 A[OVAN	CE 357	5N {C	HB,DL	F,HY	F,IEF	(423	94633)				WW	88%
Sire: Ol	R 357	5 AD\	/ANCI	E N753	{DLF	,HYF,II	EF} (4	13968	107)						YW	89%
(OR 30)27 M	ISS D	OMINO	006F	R {DOD	,DLF	,HYF,	IEF} (43173	323)			;	Scrotal	37.0
														12/22	/21 Wt	1135
;	SHF F	PROG	RESS	P20 {	SOD,D	DLF,HY	F,IEF	F} (P4	24810	42)					Feed E	Efficiency
Dam: O	R MIS	SS PF	ROGRI	ESS 51	9K {D	OD,DL	F,HY	F,IEF	} (437	47045	5)				ADG	4.68
(OR 52	216 M	ISS D	OMINO	R010	(4317	7 3344	.)							RFI	0.96
														FE	Index	\$9.08
6/10/	/2021	WT	794												BMI	CHB
															\$470	\$133
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB

47 2.1

72

1.30 1.40

55

0.04 0.41

0.43

24.0

1.0

24

3.2

2.2

46

76

-0.1

0105V OR B413 VALIDATED 0105V (P44308118)	
44308118 Polled 6/25/2020	Ratio
В	3W 110%
EFBEEF TFL U208 TESTED X651 ET {CHB,SOD,DLF,HYF,IEF,MSUDF} (P430917; V	VW 92%
Sire: EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667)	′W 101%
EFBEEF 4R THYRA Y865 (DLF,HYF,IEF) (P43187517)	crotal 35.5
12/22/2	21 Wt 1115
	eed Efficiency
Dam: OR A42 MISS DIXIE 716Z (P43968122)	ADG 4.60
OR U332 MISS BEEF EATER 211T {DLF,HYF,IEF} (P43373874)	RFI 1.20
FE <u>.I</u>	ndex \$5.19
6/10/2021 WT 797	BMI CHB
	\$478 \$177
CED BW WW YW DMI SC SCF MK M&G CEM MCW UDD TEAT CW FT I	REA MARB
2.1 3.2 65 103 0.1 1.3 21.9 24 57 3.8 95 1.40 1.30 65 0.04	0.67 0.73

056Z OR Z115 GENERATOR 056Z (P44308138)		
44308138 Polled 5/17/2020		Ratio
	BW	91%
KCF BENNETT REVOLUTION X51 {CHB,SOD,DLF,HYF,IEF,MDF} (P43081556)	WW	86%
Sire: SHF ZANE X51 Z115 {CHB,DLF,HYF,IEF} (P43276663)	YW	89%
SHF FOREVER P20 X172 (DOD,DLF,HYF,IEF) (P43078192)	Scrotal	36.0
12/:	22/21 Wt	1145
DS 1045 ADVANCE 3575N {CHB,DLF,HYF,IEF} (42394633)	Feed E	Efficiency
Dam: OR 3575 MISS HUSKER N120 ET (43268577)	ADG	4.12
CK MS ON TARGET F020 {DLF,HYF,IEF} (42581656)	RFI	0.83
	FE Index	-\$6.66
6/10/2021 WT 803	BMI	CHB
	\$468	\$165
CED BW WW YW DMI SC SCF MK M&G CEM MCW UDD TEAT CW FT	ΓREA	MARB
11.6 -0.3 43 72 0.0 1.3 21.9 22 43 11.5 84 1.40 1.40 69 0.0	3 0.78	0.54

F0110 OR S361 HUSKER F0110 (44304176)

	_	4430	04176		Scurre	ed				7/19/2	2020					Ratio
															BW	98%
	OR 35	575 H	USKE	R N151	ET {(CHB,D	LF,H	YF,IEF	F} (432	26857	5)				WW	0%
Sire: C	R N15	51 HU	SKER	S361 {	DLF,F	YF,IE	F} (43	34729	59)						ΥW	106%
	OR 9059 MISS BEEF J009 {DLF,HYF,IEF} (43173341)													Scrotal	35.0	
	12/22														/21 Wt	1155
	INNISFAIL WHR X651/723 4013 ET {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43541960															fficiency
Dam: 0	OR 40°	13 MI	SS RC	OSTE	R 730I	R (P43	9681	40)							ADG	4.54
	OR M	ISS B	ONAN	NZA 409	9B {D(DD,DL	F,HY	F,IEF}	(4363	35831))				RFI	-0.61
														FE	Index	\$13.14
6/10)/2021	WT	816												BMI	CHB
															\$431	\$172
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
5.8	-0.4	56	96	0.0	1.2	19.5	32	60	4.4	70	1.20	1.40	73	0.07	0.37	0.59

F0111 OR S361 HUSKER F0111 (P44304178) 44304178 Scurred

		4430)4178		Scurr	ed				7/14/2	2020					Ratio
															BW	89%
	OR 35	575 H	USKE	R N151	ET {(CHB,D	LF,H	YF,IEF	F} (432	268575	5)				WW	0%
Sire: O	R N15	51 HU	SKER	S361 {	DLF,F	HYF,IE	F} (43	34729	59)						ΥW	100%
	OR 90	059 M	ISS BI	EEF J0	09 (DI	LF,HYF	F,IEF	} (431	73341)				5	Scrotal	33.0
	, , , , , , , , , , , , , , , , , , , ,															1050
	EFBEEF X651 TESTED A250 {CHB,DLF,HYF,IEF,MSUDF} (P43440096)															Efficiency
Dam: 0	m: OR A250 MISS TESTED 737F (P43968117)															4.09
	OR M	ISS P	ROGF	RESS 2	01K {	DLF,H	YF,IE	F} (P4	3374	233)					RFI	-2.93
														FE	Index	\$28.70
6/10)/2021	WT	712												BMI	CHB
															\$448	\$155
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
12.5	-2.1	47	78	0.1	1.0	21.8	32	55	4.5	46	1.30	1.50	65	0.07	0.37	0.57

S0107 0107 (U44304445)

	_	4430	04445		Polled	t				6/25/2	2020					Ratio
															BW	0%
	5L BO	URN	E 670-	-111C3	48365	31P									WW	0%
Sire: S	CHULI	ER SI	JPREI	MACY	7177E	3 778	5011	PDDF	, MAF	, OSF	, NHF	, AMF,	CAF		YW	0%
															Scrotal	38.0
	12/22/															1290
	OR 3575 ADVANCE N359 {CHB,DLF,HYF,IEF} (43473003)															Efficiency
Dam: 0	OR N3	59 M <i>A</i>	ARYAN	NN J83	4 (440	68490)								ADG	5.01
	OR M	ISS B	ONAN	IZA 30	5B (DI	_F,HYF	F,IEF)	(P43	47299	6)					RFI	0.09
														FE	Index	\$4.92
6/10)/2021	WT	947												BMI	CHB
															\$0	\$0
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
0.0	-2.1	44	87	0.0	0.0	0.0	32	0	0.0	0	0.00	0.00	67	0.05	0.36	0.59

S0106	0106	(U44304421)	
50100	0100	(044304421)	

	_	4430)4421		Polled	t				6/25/2	2020					Ratio
															BW	0%
	5L BC	URN	E 670-	-111C3	48365	31P									WW	0%
Sire: S	CHUL	ER SI	JPRE	MACY	7177E	3 778	5011	PDDF	, MAF	, OSF	, NHF	, AMF,	CAF		YW	0%
															Scrotal	39.0
	12/22/														/21 Wt	1305
																fficiency
Dam: 0	OR 501	1 MIS	S CON	JPETIT	OR C	801 (P	4406	8543)							ADG	4.94
	DS RA	AM D	OMET	702 {D	LF,H	YF,IEF	(428	377029	9)						RFI	-0.18
														FE	Index	\$6.17
6/10)/2021	WT	938												BMI	CHB
															\$0	\$0
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
0.0	-0.6	48	91	0.0	0.0	0.0	24	0	0.0	0	0.00	0.00	63	0.04	0.49	0.53

G094 094 (U4430	4711)														
4430)4711	Polled	d				6/11/2	2020					Ratio		
												BW	0%		
SCHULER	OMYGO(ODNESS	2121Z	1515	472							WW	0%		
Sire: SCHULER G	OOD TIM	IE B009 1	697139	9								ΥW	0%		
SOR BRAS	SOR BRASKA REBEL Z456 1515742														
	12/2														
OR 3575 H	OR 3575 HUSKER N464 ET {CHB,DLF,HYF,IEF,MSUDF} (43647548)														
Dam: OR N464 AD	VANCE	T835 (440	68608)								ADG	4.34		
OR MISS B	ONANZA	607B (DI	LF,HYF	F,IEF)	P43	86009	1)					RFI	1.94		
											FE	Index	-\$38.23		
6/10/2021 WT	1073											BMI	CHB		
												\$0	\$0		
CED BW WW	YW D	MI SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB		
0.0 -1.3 46	92 0	.0 0.0	0.0	39	0	0.0	0	0.00	0.00	74	0.05	0.48	0.57		

G095 095 (U44304157)															
44304157	Polled				6/12/2	2020					Ratio				
										BW	0%				
SCHULER OMYGOOD	NESS 2121Z	1515	472							WW	0%				
Sire: SCHULER GOOD TIME	B009 169713	9								ΥW	0%				
SOR BRASKA REBEL	5	Scrotal	40.0												
	12/22	/21 Wt	1350												
GENOAS BONANZA 1	GENOAS BONANZA 11051 {SOD,DLF,HYF,IEF,MSUDF,MDF} (P43174342)														
Dam: OR MISS BONANZA 60	7B {DLF,HYF	,IEF}	(P438	60091)	• `		,		ADG	5.00				
OR 3027 MISS DOMIN	O 403R (DOI	D,DLF	HYF,	IEF} (4	43635	783)				RFI	0.42				
	•					ŕ			FE	Index	\$3.52				
6/10/2021 WT 936										BMI	CHB				
										\$0	\$0				
CED BW WW YW DMI	SC SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB				
0.0 -3.1 40 86 0.0	0.0 0.0	41	0	0.0	0	0.00	0.00	65	0.06	0.15	0.56				

053W OR 9764 DOMINO 053W (44304697)

		4430	04697		Horne	ed				5/15/2	2020					Ratio
															BW	103%
	UPS [DOMI	NO 30	27 (CH	B,SO	D,DLF,	HYF,	IEF,N	ISUDF	F,MDF	} (424	26386)			WW	104%
Sire: /S	Sire: /S 3027 DOMINO 9764W {CHB,DLF,HYF,IEF,MSUDF} (43052934)														YW	98%
	/S LADY ADVANCE 7202 {DLF,HYF,IEF} (42856677)														Scrotal	37.0
	· · · · · · · · · · · · · · · · · · ·														/21 Wt	1235
	OR 3575 HUSKER N151 ET {CHB,DLF,HYF,IEF} (43268575)															Efficiency
Dam: 0	OR N1	51 MI	SS HL	JSKER	S424	{DLF,I	HYF,I	EF} (4	136357	786)					ADG	4.26
	DS 90)59 M	S BEE	F 707	(4287	7037)									RFI	-1.10
														FE	Index	-\$4.99
6/10)/2021	WT	930												BMI	CHB
															\$421	\$149
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
4.9	1.4	42	69	0.1	0.7	20.1	25	46	6.3	41	1.30	1.20	68	0.04	0.55	0.48

072W OR 9764 DOMINO 072W (443046	94)
----------------------------------	-----

		44304	4694		Horne	ed				5/25/2	2020					Ratio
															BW	97%
	UPS D	OMIN	IO 30	27 (CH	B,SOI	D,DLF,	HYF,	IEF,M	SUDF	F,MDF	} (4242	26386)			WW	90%
Sire: /S	Sire: /S 3027 DOMINO 9764W {CHB,DLF,HYF,IEF,MSUDF} (43052934)														ΥW	94%
	/S LADY ADVANCE 7202 {DLF,HYF,IEF} (42856677)														Scrotal	38.0
														12/22	/21 Wt	1140
	DS 1045 ADVANCE 3575N {CHB,DLF,HYF,IEF} (42394633)															fficiency
Dam: C	DR 357	5 MIS	S AD	V N913	{DLF	HYF,I	EF) (43068	258)						ADG	4.66
	DS 50	19 MS	ADV	0333 (42066	3507)									RFI	-1.60
														FE	Index	\$23.10
6/10	/2021	WT	808												BMI	CHB
															\$407	\$158
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
4.9	1.7	39	64	-0.4	1.2	18.3	22	42	1.9	70	1.30	1.40	63	0.04	0.46	0.52

C068 OR 501 COMPETITOR C068 (P44303490)

	_	4430	03490		Polled	t				5/24/2	2020					Ratio
															BW	92%
	KCF E	BENN	ETT II	NFLUE	NCE Z	Z80 (CI	HB,DI	LF,HY	F,IEF	} (P43	28258	7)			WW	119%
Sire: S	Sire: SCHU-LAR CONVERSION 501 ET {DLF,HYF,IEF,MSUDF} (P43624399)														ΥW	109%
	SCHU-LAR 10X OF 22U N093 {DLF,HYF,IEF} (P43084010)														Scrotal	35.5
	12/22															1185
	UPS DOMINO 3027 {CHB,SOD,DLF,HYF,IEF,MSUDF,MDF} (42426386)															Efficiency
Dam: 0	OR 302	27 MI	SS DC	ONIMO	205R	{DLF,H	HYF,II	EF} (4	33742	249)					ADG	4.29
	DS 90)59 M	S BEE	F 708	(4287	7038)									RFI	0.49
														FE	Index	-\$18.29
6/10)/2021	WT	965												BMI	CHB
															\$526	\$133
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
11.6	-0.1	55	82	0.3	0.9	27.6	19	47	7.9	83	1.60	1.70	62	0.02	0.65	0.39

089B OR BONANZA 089B (P44308121)																
		4430	08121		Scurre	ed				6/2/20)20					Ratio
															BW	76%
E	FBE	EF S	CHU-L	AR PR	OFICI	ENT N	1093 {	(SOD,	DLF,F	HYF,IE	F,MSI	JDF} (I	P4244	14860)	WW	112%
Sire: GE	NOA	S BO	NANZ	A 1105	1 (SO	D,DLF	HYF	,IEF,N	/ISUD	F,MDF	F} (P43	317434	l 2)		YW	105%
Н	IYALI	ITE 2	2S LA	SS 876	{DLF	,HYF,I	EF} (I	P4289	3850))					Scrotal	34.0
														12/22	/21 Wt	1220
C)R 35	75 H	USKE	R N151	ET {(CHB,D	LF,H	YF,IEF	F} (432	26857	5)				Feed E	fficiency
Dam: OF	R N15	51 MI	SS HL	JSKER	S827	(P440	6861	3)							ADG	4.20
C	OR A2	250 M	IISS T	ESTED	610F	{DLF,	HYF,	IEF} (I	P4386	0119)					RFI	1.35
														FE	Index	-\$16.24
6/10/2	2021	WT	889												BMI	CHB
															\$399	\$134
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
14.3 -	-4.2	41	70	0.4	1.2	20.2	31	52	6.7	40	1.30	1.40	62	0.09	0.13	0.56

071V OR B413 VALIDAT	ED 071V (P443081)	29)							
44308129	Polled		5/24/2	020					Ratio
								BW	89%
	TESTED X651 ET							WW	104%
Sire: EFBEEF BR VALIDA				1DF} (P	43558	8667)		ΥW	104%
EFBEEF 4R THYR	A Y865 (DLF,HYF,II	EF} (P4318	7517)				5	Scrotal	39.0
							12/22/	'21 Wt	1280
CSU RAM DOMINA	ATOR 4203 (SOD,D	LF,HYF,IEF	F} (425314	22)				Feed E	Efficiency
Dam: OR RAM DOMET H								ADG	4.72
OR 3575 MISS AD	√ N913 {DLF,HYF,II	EF} (43068	258)					RFI	0.17
							FE	Index	\$0.72
6/10/2021 WT 923								BMI	CHB
								\$436	\$166
CED BW WW YW	DMI SC SCF N	ИK M&G C	CEM MCW	UDD T	EAT	CW	FT	REA	MARB
9.5 -0.1 49 72	0.1 1.2 20.3 2	25 49 4	4.4 55	1.40	1.40	57	0.03	0.61	0.79

087X	OR 16	SC XN	1ARK	087X (F	P4430	4439)										
	4	4430	04439	,	Polled	ĺ				5/31/2	2020				Ratio	
															BW	107%
	EFBE	EF F	DREM	OST U	208 {S	OD,C	HB,D	LF,HY	F,IEF	,MSUI	OF} (P	42896	690)		WW	88%
Sire: S	CHU-L	_AR S	ELEC	TION 1	6C {C	HB,DL	.F,HY	F,IEF	,MSU	DF,ME)F} (P	435916	89)		ΥW	97%
	SCHU	J-LAR	913 C	F 208	M326	ET {D	LF,H	YF,IEF	F,MSU	JDF} (F	P4303	6258)		5	Scrotal	37.0
						-								12/22	/21 Wt	1230
	DS BE	EEF 9	059 {5	SOD,CH	HB} (4	114973	34)								Feed E	Efficiency
Dam: 0	OR 90	59 MIS	SS BE	EF J21	2 (DLI	F,HYF	,IÉF}	(4337	3887)						ADG	4.38
	DS 10)45 M	S ADV	706 (4	128770	025)	-								RFI	0.39
				•		·								FE	Index	-\$1.60
6/10)/2021	WT	847												BMI	CHB
															\$447	\$140
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
4.8	2.0	48	84	0.0	8.0	21.9	14	38	3.6	84	1.40	1.40	65	0.02	0.55	0.32

E079 O	R E158 R	ESOL	UTE E	079 (F	44306	006)									
	4430	06006		Polled	b				5/27/2	2020					Ratio
														BW	96%
Е	FBEEF R	ESOL	JTE CE	EO {CI	HB,DL	F,HYI	F,IEF,	MSUE)F} (P4	43591	829)			WW	101%
Sire: EF	BEEF C60	9 RES	OLUT	E E15	8 ET {(CHB,[DLF,H	YF,IE	F} (P4	38471	198)			YW	100%
Е	FBEEF P	306 M	ABEL F	R415 (P4263	5108))						;	Scrotal	34.0
													12/22	/21 Wt	1170
Е	FBEEF N	093 PF	ROFES	SION	AL W4	85 (C	HB,D	LF,HY	F,IEF	(P43	032128	3)		Feed E	fficiency
Dam: OF	R W485 M	ISS PF	RO 114	A (P4	32682°	72)								ADG	4.36
0	R MISS F	RANK	902F	(DLF, b	HYF,IE	F} (P	43068	243)						RFI	2.11
													FE	Index	-\$16.15
6/10/2	2021 WT	881												BMI	CHB
														\$438	\$176
CED E	BW WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB

49

1.8

75

1.40 1.50

71

0.07

0.36

0.80

5.0

1.2

56

86

0.3

1.4

20.1

21

078A OR 36F ASSET 078A (F	P44308126)										
44308126	Polled				5/26/2	2020					Ratio
										BW	110%
NJW 98S R117 RIBEYE	88X ET {SO	D,CHB	B,DLF	HYF	,IEF,N	1SUDF	F,MDF)	(430	94146	WW	100%
Sire: SCHU-LAR ASSET 36F {	CHB,DLF,HY	F,IEF,N	MSUD)F} (F	43910	0830)				ΥW	95%
SCHU-LAR 9Z VIVIAN (001 22S {DLF	HYF,I	EF,M	SUD	F} (P4	32715	42)		5	Scrotal	38.0
									12/22	/21 Wt	1175
OR N151 HUSKER S36	1 {DLF,HYF,	IEF} (43	34729	959)						Feed E	Efficiency
Dam: OR S361 MISS HUSKER	F526 (DLF, I	HYF,IEI	F} (P4	43745	5928)					ADG	4.27
OR MISS FOUNDATION	N 311F {DLF,	HYF,IE	F} (P	4347	2940)					RFI	-1.03
									FE	Index	\$5.87
6/10/2021 WT 832										BMI	CHB
										\$433	\$131
CED BW WW YW DMI	SC SCF	MK N	/1&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
1.1 1.6 49 75 -0.1	0.6 21.5	27	51	1.0	37	1.40	1.50	62	0.03	0.45	0.34

084A	OR 36	SF AS	SET 0	84A (4	43047	08)										
			04708	`	Horne	,				5/28/2	2020					Ratio
															BW	100%
	NJW 9	98S R	117 R	IBEYE	88X E	ET {SO	D,CH	IB,DLI	F,HYF	,IEF,N	ISUDI	F,MDF	} (430	94146	WW	102%
Sire: S	CHU-L	_AR A	SSET	36F {C	HB,D	LF,HY	F,IEF	,MSU	DF} (F	P43910	0830)				ΥW	99%
	SCHU	J-LAR	9Z VI	VIAN 0	01 22	S {DLF	HYF	,IEF,N	MSUD	F} (P4	32715	542)		5	Scrotal	34.0
														12/22	/21 Wt	1190
	OR 35	575 H	USKE	R N464	ET {(CHB,D	LF,H	YF,IEF	F,MSL	JDF} (4	43647	548)			Feed E	fficiency
Dam: 0	OR N4	64 MI	SS AD	VANC	E T74	7 (439	68161	1)							ADG	4.35
	OR M	ISS F	RANK	902F {	DLF,	YF,IE	F} (P4	43068	243)						RFI	-0.42
														FE	Index	\$4.09
6/10)/2021	WT	840												BMI	CHB
															\$447	\$154
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
4.9	1.7	50	78	0.0	0.9	21.4	27	52	2.0	51	1.30	1.40	63	0.03	0.53	0.55
	•		•		•	•		•			•	•	•		•	

080A OR 36F	ASSET 0)80A (F	44304	169)										
4	4304169		Polled	t				5/27/2	2020					Ratio
													BW	107%
NJW 98	S R117 R	RIBEYE	88X E	ET {SO	D,CH	lB,DL	F,HYF	,IEF,N	1SUDI	F,MDF	} (430	94146	WW	99%
Sire: SCHU-LA													YW	101%
SCHU-L	.AR 9Z VI	IVIAN (01 22	S {DLF	F,HYF	,IEF,I	MSUD	F} (P4	32715	642)			Scrotal	34.0
												12/22	/21 Wt	1180
	NTINEL (•			• `	431107	745)						Efficiency
Dam: OR 0042													ADG	4.18
OR MIS	S RESOL	JRCE	Г012 (I	24317	3328)								RFI	-3.80
0/40/0004 14	VT 000											FE	Index	
6/10/2021 V	VT 860												BMI	CHB
OED DW W	04/ 204/	L DA41	00	005	NAIZ	1.400		N 4 (C) A /	LIDD	T E A T	0147		\$417	\$133
-	/W YW	DMI	SC	SCF			_			TEAT	CW	FT	REA	MARB
2.4 2.7 4	18 83	-0.2	0.9	20.2	25	49	2.9	60	1.40	1.50	58	0.00	0.44	0.28
085 OR 565I	L DOMIN	O 085	(085) /	143041	73									
	4304173		Horne		13			5/29/2	2020					Ratio
4	4304173		ПОПТЕ	u				3/29/2	2020				BW	109%
I IS MA	RK DOMI		15 (NO	15) 13	ባባባላ:	70							WW	110%
Sire OR 0945 D						70							YW	105%
	1 DOMET												Scrotal	36.0
DOTATIV	DOME	1) 000	1000) -	120700	704								/21 Wt	1215
LOEWE	N C&L 33	RN APC		42 FT	(A42) P43	37356	§7				12/22		Efficiency
Dam OR A42 M							,0,000	,,					ADG	4.08
	SANDY 4		•	,		0.0							RFI	1.20
011100	G, (D .	.200 (0, .	.0000								FF	Index	
6/10/2021 V	VT 891												BMI	CHB
													\$414	\$141
CED BW W	/W YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
5.0 2.9 5		0.3	1.4	19.4		57	5.9	74	1.40			0.00		0.31
			<u>.</u>	<u>u</u>						<u>L</u>				
073Z OR Z11	5 GENER	RATOR	073Z	(P4430	08128	3)								
4	4308128		Polled	Ė		,		5/25/2	2020					Ratio
													BW	118%
KCF BE	NNETT F	REVOL	UTION	I X51 {	СНВ,	SOD,	DLF,H	IYF,IE	F,MDF	F} (P43	30815	56)	WW	104%
Sire: SHF ZANI	E X51 Z1	15 (CH	B,DLF	,HYF,İ	EF} (P4327	76663))		•		•	YW	108%
SHF FO	REVER F	P20 X1	72 (DC	D,DLF	=,HYÈ	F,IEF}	(P430	78192	2)			;	Scrotal	38.0
			-									12/22	/21 Wt	1270
OR 357	5 HUSKE						F,MSL	JDF} (4	43647	548)			Feed E	Efficiency
D 0D 11404	NAICO AF	N/A NIO	E T70	2 / D / 2	0004	40\							4 D.C	4 70

(43047340)														I CCU L	Inicicitoy	
Dam: OR N464 MISS ADVANCE T703 (P43968148)															ADG	4.78
, , , , , , , , , , , , , , , , , , , ,													RFI	0.86		
FE_													Index	-\$8.06		
6/10)/2021	WT	973												BMI	CHB
															\$461	\$149
CED	BW	WW	YW	DMI	SC	SCF	MK	M&G	CEM	MCW	UDD	TEAT	CW	FT	REA	MARB
1.4	4.0	59	99	0.2	1.2	22.1	24	54	5.3	84	1.30	1.30	69	-0.01	0.74	0.35



Learn more at herefordtruth.com

THE BALD-FACED TRUTH

ABOUT HEREFORD GENETICS

7%

Higher pregnancy rates

> Advantage in feedlot profitability

More per cow, per year

> Advantage in feed efficiency

Hereford genetics maximize the value of your herd by leveraging traits such as fertility, feed efficiency, docility and feedlot profitability to your advantage.

*Compared to Angus-sired calves. Source: Daley, David A. and Early, Sean P. Impacts of Crossbreeding on Profitability in Vertically Coordinated Beef Industry Marketing Systems. American Hereford Association. Retrieved from https://hereford.org/wp-content/uploads/2017/02Harris HeterosisReport.pdf. 57100C06

OLSEN RANCHES, INC.

2322 Rd 14 Harrisburg, NE 69345

J O

308-641-1273 (Douglas cell) 308-631-3104 (Art cell)

artolsen@daltontel.net

www.olsenranches.com

Annual Bull Sale

January 29, 2022 12:30 pm