

OLSEN RANCHES, INC.



150F

ANNUAL BULL SALE

Saturday, January 28, 2023

12:30 PM MST

at the Ranch

Female-Focused, Feeder Friendly, and Consumer Centered

2322 Rd 14

Harrisburg, NE 69345

308-641-1273 (Douglas cell)

308-631-3104 (Art cell)

www.olsenranches.com

Olsen Ranches, Inc.

Annual Bull Sale

January 28, 2023

Sale - 12:30 pm

Lunch Available

Harrisburg, Nebraska

The past year has brought plenty of challenges and opportunities, and we have all survived and adapted to the unique circumstances we each have faced. Our cows have been challenged over the years as well and, as a result, we have a cow herd that has adapted favorably to the environmental challenges faced. As feed costs for the cow and the feeding sectors have greatly increased, it becomes more important to select cattle that have documented feed intake and conversion differences.

We praise God for the ability to live on this land, raise our families, and produce food for His creation. We also are privileged to collect research data for the Hereford Association and its membership as the primary test herd for the AHA National Reference Sire Program and use this proven data to select for performance, carcass merit, feed efficiency, and maternal characteristics such as longevity. In other words, we use what we learn in our own herd to offer relevant and sustainable genetics to other people involved in the beef industry.

This operation has a long history of helping our customers produce healthy, safe, nutritious, and desirable food for the consumers in this country and abroad, and our goals have remained consistent – ***to be female-focused, feeder friendly, and consumer centered***. While the primary development of these sale bulls started 2.5 years ago as we bred their dams, they are actually the product of our work over the last 23 years as an AHA NRSP test herd, 12 years collecting and analyzing feed intake data, 30 years of tracking all offspring carcass data, and 137 years of Olsens raising Hereford commercial cows and 37 years of raising registered Hereford cattle in western Nebraska. Our commitment to the collection of scientific data and related research has positively shaped our genetics and the reliable and consumer-friendly end product we produce and will have a proven and positive impact on your own operation.

We recognize the critical importance of heterosis and breed complementarity in making commercial cow herds profitable, and we take pride in providing our customers with the genetics to get this critical job done right. The genetics we produce fit our high plains resources, yielding cattle who grow efficiently and are low maintenance from calving to harvest. Our commercial and registered cows graze 12 months of the year, calving in late May through June on grass and

moving to cornstalks through the fall and winter. We finish all the offspring not sold or used as breeding stock on the ranch. We have been collecting feed intake data through our own ranch research feed efficiency testing facility since 2010 on all calves out of our registered cows and all AI-sired steers out of the commercial cows and have the data to prove the value-add for these bulls in your operation. Starting in 2022, the ranch initiated a new research project with Colorado State University and AHA studying sustainability with measurements of methane and carbon dioxide emissions and other related measurements. In 2023, the ranch will be piloting another new research project measuring individual water intake for cattle housed at headquarters.

We are located 25 miles south of Scottsbluff or 17 miles north of Kimball on Highway 71, and 10 miles west on Banner County Road 14. You will find us very open and honest about our cattle. Feel free to call and make arrangements anytime to view our cow herd or our bulls.

We encourage you to take a look at the data, videos, and information available at www.olsenranches.com. Please feel free to ask any questions you may have. If you cannot attend the sale on the 28th, please contact us and we will accommodate you.

We appreciate the opportunity to hear about your goals and to help you select the best genetics for your operation. These bulls have the potential to be valuable tools for many operations, including yours!

Art and Douglas Olsen
(308) 641-1273 (Douglas)
(308) 631-3104 (Art)

Bid Online!
If you are unable to attend the sale, you can register to watch or bid online through The Livestock Link by following these instructions:

The Livestock Link
Livestock • Video • Video Sales
• Bid-by-Click Online Sales
To view events go to
www.TheLivestockLink.com

- Visit our website, www.thelivestocklink.com
- Click the "Auctions" tab
- Click on "Click Here to Register"
- Enter your e-mail address and password, and fill out all your contact information
- Fill out your Banking Information. If you are only viewing the sale and do not wish to bid, this information can be left blank.
- Check the checkbox at the bottom of the page that says "I'm not a robot" to prove you are a real person
- Click "Register" at the bottom of the page
- You will receive an email with a link to activate your account.
- **Please register to bid at least 24 hours in advance of the sale.**
- Contact Aaron Friedt at (701) 590-9597 for help or with any questions.

You will receive an email when you are approved for bidding. All applications will be reviewed and processed promptly. You will receive a bidder number only after you have made a purchase in the sale, and that number will only be used at that sale. When the sale is completed, please contact the sale owner or manager for instructions of payment and delivery of your purchase.

To use our service, you must have access to High Speed Internet.

Questions?
→ **Contact Aaron Friedt at (701) 590-9597 or Support at (605) 920-9261** ←
www.TheLivestockLink.com

Sale Procedures and Terms

EPDs in this catalog were released by AHA on January 9, 2023. The most up to date EPDs can be found on the American Hereford Association website. We will have a Herefords on Demand catalog with updated EPDs under the Sale Catalogs button on the www.hereford.org website. All EPDs are genetically enhanced. Intake data is not reflected in the EPDs in our catalog. This information will be updated by January 16th on the AHA website.

You will be able to view videos of the bulls on our website: www.olsenranches.com. We also will have “The Livestock Link” broadcast our sale, and you will be able to bid over the internet. On site and on the web, bulls will sell in catalog order with base prices set for each bull prior to the sale. During the sale, we will bid the bulls up from the base price in the case of multiple interested purchasers.

If you bring your own trailer, you will receive a \$50/head rebate on each animal you haul home on sale day. We will perform any tests necessary for out of state deliveries after the sale. If you have special health requirements in your state or area, please alert us on sale day. We will provide delivery services to you – for all deliveries 200 to 400 miles from the ranch, we will charge \$150/head delivered; for deliveries 400 to 500 miles from the ranch, we will charge \$200/head delivered; for deliveries over 500 miles from the ranch, we will come to agreement with the purchaser on delivery costs. We will begin deliveries immediately after the sale. If you prefer not to take delivery as scheduled, we will care for your bull purchases at our risk for \$3.00/hd/day. This cost will begin March 1.

All the bulls have a complete Breeding Soundness Evaluation. Olsen Ranches, Inc. will sell 100% possession and will retain a 25% semen revenue sharing interest in all bulls, unless otherwise announced during the sale.

Olsen Ranches, Inc.

Annual Bull Sale

January 28, 2023

Sale - 12:30 pm

Lunch Available

Harrisburg, Nebraska

(308) 641-1273 (Douglas)

(308) 631-3104 (Art)

PERFORMANCE INFORMATION

Quality performance information is extremely important to our operation. The EPD terms are defined on the following page. The table with the breed average EPDs and the average of our sale bulls shows some of the selection pressure that we have achieved with our program. Our pressure on calving ease, moderate growth, lower feed intake, average milk, smaller cow size, better udders, and especially carcass traits are evident in the following table.

Avg. EPDs for 2021 Born Calves

| | CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | Udd | Teat | CW | FT | REA | MARB | BMI | CHB |
|----------------|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|-----|------|----|------|------|------|-----|-----|
| Olsen Sale Bul | 8.3 | 0.3 | 49 | 80 | 0.1 | 1.2 | 20.7 | 27 | 50 | 4.5 | 61 | 1.3 | 1.4 | 66 | 0.05 | 0.53 | 0.58 | 438 | 157 |
| Breed Avg. EPD | 2.9 | 2.8 | 54 | 87 | 0.2 | 1.0 | 15.8 | 26 | 53 | 1.7 | 88 | 1.2 | 1.3 | 68 | 0.02 | 0.41 | 0.12 | 342 | 115 |

Because of data collected on animals in a pedigree, EPDs are superior to an animal's actual measurements in predicting an animal's genetic potential. For more information about the American Hereford Association's performance measurements, check www.hereford.org. Performance pedigrees of the animals can also be found on AHA's website through an "EPD Search" using the guest option and using the animal's name or registration number to look up any animal.

Weight and Feed Efficiency Terms

Feed Efficiency Trial March 16 – June 7, 2022

- ADG The average daily gain of the individual during the 70 day feed efficiency test
- 6/6 WT The actual weight at the end of the feed efficiency test
- Scrotal Actual scrotal measurement 1/6/22
- F/G The feed to gain ratio during the 70 day feed efficiency test - note that a lower ratio is more feed efficient
- ADJ F/G The feed to gain ratio during the 70 day test that is adjusted for an animal's body weight
- RFI The Residual Feed Intake is the difference between an animal's actual feed intake and its expected feed intake based on its size and growth over a specified period. An animal with a lower RFI value is more feed efficient.
- RG The Residual Gain is the difference between an animal's actual gain and its expected gain based on intake and body weight. An animal with a higher value is more efficient.
- FE Index Feed Efficiency Index is an index that combines the value of gain and the cost of intake. Higher is more desirable.

Understanding Hereford EPDs

The American Hereford Association (AHA) currently produces expected progeny differences (EPDs) for 17 traits and calculates three profit indexes. AHA's genetic evaluation makes use of a Marker Effects Model that allows the calculation of EPDs by incorporating the pedigree, phenotypic and genomic profile of an animal. Animals that have a genomic profile will be denoted with a GE-EPD logo. The current suite of Hereford EPDs and profit indexes includes:

Calving Ease — Direct (CE) CE EPD is based on calving ease scores and birth weights and is measured on a percentage. CE EPD indicates the influence of the sire on calving ease in females calving at 2 years of age. For example, if sire A has a CE EPD of 6 and sire B has a CE EPD of -2, then you would expect on average, if comparably mated, sire A's calves would have an 8 percent more likely chance of unassisted calving when compared to sire B's calves.

Birth Weight (BW) BW EPD is an indicator trait for calving ease and is measured in pounds. For example, if sire A has a BW EPD of 3.6 and sire B has a BW EPD of 0.6, then you would expect on average, if comparably mated, sire A's calves would come 3 lb. heavier at birth when compared to sire B's calves. Larger BW EPDs usually, but not always, indicate more calving difficulty. The figure in parentheses found after each EPD is an accuracy value or reliability of the EPD.

Weaning Weight (WW) WW EPD is an estimate of pre-weaning growth that is measured in pounds. For example, if sire A has a WW EPD of 60 and sire B has a WW EPD of 40, then you would expect on average if comparably mated, sire A's calves would weigh 20 lb. heavier at weaning when compared to sire B's calves.

Yearling Weight (YW) YW EPD is an estimate of post-weaning growth that is measured in pounds. For example, if sire A has a YW EPD of 100 and sire B has a YW EPD of 70, then you would expect on average if comparably mated, sire A's calves would weigh 30 lb. heavier at a year of age when compared to sire B's calves.

Dry Matter Intake (DMI) The DMI EPD predicts the daily consumption of pounds of feed. For example, if sire A has a DMI EPD of 1.1 and sire B has a DMI EPD of 0.1, you would expect sire B's progeny, if comparably mated, to consume on average 1 pound of feed less per day.

Scrotal Circumference (SC) Measured in centimeters and adjusted to 365 days of age, SC EPD is the best estimate of fertility. It is related to the bull's own semen quantity and quality, and is also associated with age at puberty of sons and daughters. Larger SC EPDs suggest younger age at puberty. Yearling sons of a sire with a 0.7 SC EPD should have yearling scrotal circumference measurements that average 0.7 centimeters (cm) larger than progeny by a bull with an EPD of 0.0 cm.

Sustained Cow Fertility The AHA's new SCF EPD is a prediction of a cow's ability to continue to calve from three years of age through 12 years of age, given she calved as a two-year-old. The EPD is expressed as a deviation in the proportion of the 10 possible calvings to 12 years old expressed as a probability. For example, the daughters of a bull with a 30 EPD would have the genetic potential to have one more calf by age 12 than the daughters from a bull with a 20 EPD. In other words, the daughters from the 30 EPD bull would have a 10% greater probability of having one more calf than the bull with a 20 EPD. This is equivalent to saying that the daughters are 10% more likely to remain in the herd to age 12.

Maternal Milk (MM) The MM EPD of a sire's daughters is expressed in pounds of calf weaned. It predicts the difference in average weaning weights of sires' daughters' progeny due to milking ability. Daughters of the sire with a +14 MM EPD should produce progeny with 205-day weights averaging 24 lb. more (as a result of greater milk production) than daughters of a bull with a MM EPD of -10 lb. (14 minus -10.0 = 24 lb.). This difference in weaning weight is due to total milk production during the entire lactation.

Maternal Milk & Growth (M&G) The M&G EPD reflects what the sire is expected to transmit to his daughters for a combination of growth genetics through weaning and genetics for milking ability. It is an estimate of the daughter's progeny weaning weight. A bull with a 29 lb. M&G EPD should sire daughters with progeny weaning weights averaging 19 lb. heavier than progeny of a bull's daughters with a M&G EPD of 10 lb. (29 minus 10 = 19 lb.). It is equal to one-half the sire's weaning weight EPD, plus all of his MM EPD. No accuracy is associated with this since it is simply a mathematical combination of two other EPDs. It is sometimes referred to as "total maternal" or "combined maternal."

Maternal Calving Ease (MCE) MCE EPD predicts how easily a sire's daughters will calve at two years of age and is measured on a percentage. For example, if sire A has a MCE EPD of 7 and sire B has a CE EPD of -3, then you would expect on average if comparably mated, sire A's daughters would calve with a 10% more likely chance of being unassisted when compared to sire B's daughters.

Mature Cow Weight (MCW) The MCW EPD was designed to help breeders select sires that will either increase or decrease mature size of cows in the herd. The trait was developed after years of cow weight data collection and the EPD relates directly to the maintenance requirements of a cow herd. For example, if sire A has a MCW EPD of 100 and sire B has an EPD of 85, then you would expect the females of sire A, if comparably mated, to be 15 lb. heavier at mature size.

Udder suspension (UDDR) UDDR EPDs are reported on a 9 (very tight) to 1 (very pendulous) scoring scale. Differences in sire EPDs predict the difference expected in the sires' daughters' udder characteristics when managed in the same environment. For example, if sire A has a UDDR EPD of 0.4, and sire B has a UDDR EPD of -0.1, the difference in the values is 0.5, or one-half of a score. If daughters of sires A and B are raised and managed in the same environment, you would expect half a score better udder suspension in daughters of sire A, compared to sire B.

Teat size (TEAT) TEAT EPDs are reported on a 9 (very small) to 1 (very large, balloon shaped) scoring scale. Differences in sire EPDs predict the difference expected in the sires' daughters' udder characteristics when managed in the same environment. For example, if sire A has a teat size EPD of 0.4, and sire B has a teat size EPD of -0.1, the difference in the values is 0.5, or one-half of a score. If daughters of sires A and B are raised and managed in the same environment, you would expect half a score smaller teat size in daughters of sire A, compared to sire B.

Carcass Weight (CW) CW EPD is a beneficial trait when considering the impact that pounds have relative to end product value. At the same age constant endpoint, sires with higher values for carcass weight will add more pounds of hot carcass weight compared to sires with lower values for carcass weight. For example, if sire A has a CW EPD of 84 and sire B has a CW EPD 64, then you would expect the progeny of sire A, if harvested at the same age constant endpoint, to have a 20-lb. advantage in terms of hot carcass weight.

Rib Fat (FAT) The FAT EPD reflects differences in adjusted 365-day, 12th-rib fat thickness based on carcass measurements of harvested cattle. Sires with low, or negative FAT EPDs, are expected to produce leaner progeny than sires with higher EPDs. Ultrasound measures are also incorporated into this trait and have been shown to be highly correlated with the performance of slaughter progeny. All data is expressed on a carcass scale.

Ribeye Area (REA) REA EPDs reflect differences in an adjusted 365-day ribeye area measurement based on carcass measurements of harvested cattle. Sires with relatively higher REA EPDs are expected to produce better- muscled and higher percentage yielding slaughter progeny than will sires with lower REA EPDs. Ultrasound measurements are also incorporated into this trait and have been shown to be highly correlated with the performance of slaughter progeny. All data is expressed on a carcass scale.

Marbling (MARB) MARB EPDs reflect differences in an adjusted 365-day marbling score (intramuscular fat, [IMF]) based on carcass measurements of harvested cattle. Breeding cattle with higher MARB EPDs should produce slaughter progeny with a higher degree of IMF and therefore higher quality grades. Ultrasound measurements are also incorporated into this trait and have been shown to be highly correlated with the performance of slaughter progeny. All data is expressed on a carcass scale.

Baldy Maternal Index (BMI\$) The BMI\$ is a maternally focused index that is based on a production system that uses Hereford x Angus cross cows. Progeny of these cows are directed towards Certified Hereford Beef. This index has significant weight on Sustained Cow Fertility, which predicts fertility and longevity of females. There is a slightly positive weight on Weaning Weight, Mature Cow Weight and Milk which accounts for enough growth but ensures females do not increase inputs. There is some negative emphasis on Dry Matter Intake, but a positive weighting on Carcass Weight which is anticipated to provide profitability from finishing of non-replacement females and castrated males. Marbling and Rib-eye Area are also positively weighted to keep the harvested progeny successful for CHB. This index is geared to identify Hereford bulls that will be profitable when used in a rotational cross with mature commercial Angus cows.

Brahman Influence Index (BII\$) The BII\$ is a maternally focused index that is based on a production system that uses Brahman x Hereford cross cows. This index targets producers that use Hereford bulls on Brahman influenced cows.

Certified Hereford Beef Index (CHB\$) CHB\$ is a terminal sire index that is built on a production system where Hereford bulls are mated to mature commercial Angus cows and all progeny will be targeted for Certified Hereford Beef© after the finishing phase. This index has significant weight on Carcass Weight to ensure profit on the rail. As well there is a positive weighting for Average Daily Gain along with a negative weighting on Dry Matter Intake to ensure efficient pounds of growth in the finishing phase. Keep in mind, this production system takes advantage of complimentary breeding with the commercial Angus cow. Although Marbling is weighted positively in this index, a positive weighting for Rib-eye Area and a negative weighting for Back Fat are a greater priority in this index to allow for optimum end-product merit. This is the only index that has no emphasis on fertility. Remember that no replacement heifers are being retained.

R176 OR J770 ADVANCE R176 {DLF,HYF,IEF,MSUDF} (P44402044)
 44402044 Scurred 5/24/2021

OR 3575 ADVANCE N359 {CHB,DLF,HYF,IEF} (43473003)
 Sire: OR N359 ADVANCE J770 ET {DLF,HYF,IEF} (P43968229)
 OR MISS PROFICIENT 002Z {DOD,DLF,HYF,IEF,MSUDF} (P43173347)

Ratio
 BW 89%
 WW 99%
 YW 109%
 Scrotal 34.0

SCHU-LAR CONVERSION 501 ET {CHB,DLF,HYF,IEF,MSUDF} (P43624399)
 Dam: OR 501 MISS COMPETITOR C929 (P44195331)
 OR 3575 MISS HUSKER N120 ET (43268577)

Feed Efficiency
 ADG 5.03
 RFI -1.69
 FE Index \$24.02

6/6/2022 WT 979

| | |
|-------|-------|
| BMI | CHB |
| \$409 | \$162 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|------|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 11.3 | -0.3 | 45 | 79 | 0.2 | 1.3 | 18.5 | 29 | 52 | 5.8 | 61 | 1.40 | 1.50 | 67 | 0.03 | 0.70 | 0.58 |

155A OR 36F INVESTOR 155A {DLF,HYF,IEF,MSUDF,MDF} (P44407372)
 44407372 Scurred 5/18/2021

NJW 98S R117 RIBEYE 88X ET {SOD,CHB,DLF,HYF,IEF,MSUDF,MDF} (4309414)
 Sire: SCHU-LAR ASSET 36F {CHB,DLF,HYF,IEF,MSUDF} (P43910830)
 SCHU-LAR 9Z VIVIAN 001 22S {DLF,HYF,IEF,MSUDF} (P43271542)

Ratio
 BW 97%
 WW 124%
 YW 117%
 Scrotal 35.0

CSU RAM DOMINATOR 4203 {SOD,DLF,HYF,IEF} (42531422)
 Dam: OR RAM DOMET H405 {DLF,HYF,IEF} (43635832)
 OR 3027 MISS DOMINO 112R {DOD} (43266036)

Feed Efficiency
 ADG 5.01
 RFI -1.05
 FE Index \$8.76

6/6/2022 WT 1109

| | |
|-------|-------|
| BMI | CHB |
| \$487 | \$144 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|-------|------|------|
| 12.7 | 0.2 | 53 | 86 | 0.2 | 0.6 | 24.6 | 36 | 62 | 5.0 | 46 | 1.50 | 1.60 | 64 | -0.01 | 0.58 | 0.38 |

155A has been a standout since he was a young calf. He was the heaviest bull coming off the feed efficiency trial. He carries the feed efficiency advantage of his sire and adds performance. His dam raised one of the bigger calves in 2022 as an 8-year-old. Invest here for functional cows and great feeding calves!



150F OR F158 JUSTICE 150F {DLF,HYF,IEF,MSUDF,MDF} (P44407370)
 44407370 Polled 5/17/2021

EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667)
 Sire: SHF FORESIGHT B413 F158 {CHB,DLF,HYF,IEF} (P43894968)
 SHF GERBER R117 Y200 {DLF,HYF,IEF} (P43181086)

Ratio
 BW 88%
 WW 95%
 YW 103%
 Scrotal 35.0

Dam: OR MISS BONANZA 305B {DLF,HYF,IEF} (P43472996)
 OR 3027 MISS DOMINO 104R (43266040)

Feed Efficiency
 ADG 4.61
 RFI -2.04
 FE Index \$17.04

6/6/2022 WT 976

| | |
|-------|-------|
| BMI | CHB |
| \$394 | \$150 |

| | | | | | | | | | | | | | | | | |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
| 6.4 | 0.2 | 49 | 87 | 0.1 | 0.6 | 17.6 | 25 | 50 | 4.1 | 93 | 1.50 | 1.40 | 70 | 0.07 | 0.63 | 0.40 |

The complete combination bull. This may be phenotypically the best bull we have produced. His numbers are exceptional from birth to harvest. His combination of BW, SCF, udder scores, carcass, and feed efficiency is superb. He has a very functional dam that combines some of the breed's great maternal sires we have tested. 305B had twins in 2022 as a 9-year-old cow with a great udder.

159F OR F158 FORESIGHT 159F {DLF,HYF,IEF,MSUDF} (P44407448)
 44407448 Polled 5/21/2021

EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667)
 Sire: SHF FORESIGHT B413 F158 {CHB,DLF,HYF,IEF} (P43894968)
 SHF GERBER R117 Y200 {DLF,HYF,IEF} (P43181086)

Ratio
 BW 92%
 WW 112%
 YW 105%
 Scrotal 38.0

Dam: UPS DOMINO 3027 {CHB,SOD,DLF,HYF,IEF,MSUDF,MDF} (42426386)
 OR 3027 MISS DOMINO 414R {DOD,DLF,HYF,IEF} (43635812)
 DS 1045 MS ADV 706 (42877025)

Feed Efficiency
 ADG 3.96
 RFI 1.96
 FE Index -\$30.38

6/6/2022 WT 986

| | |
|-------|-------|
| BMI | CHB |
| \$453 | \$180 |

| | | | | | | | | | | | | | | | | |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
| 6.6 | 1.1 | 58 | 95 | 0.1 | 1.5 | 19.7 | 24 | 53 | 3.0 | 102 | 1.30 | 1.30 | 87 | 0.03 | 0.87 | 0.46 |

168F OR F158 FORESIGHT 168F {DLF,HYF,IEF,MSUDF} (P44407451)
 44407451 Polled 5/23/2021

Ratio
 BW 94%
 WW 111%
 YW 107%
 Scrotal 33.0

EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667)
 Sire: SHF FORESIGHT B413 F158 {CHB,DLF,HYF,IEF} (P43894968)
 SHF GERBER R117 Y200 {DLF,HYF,IEF} (P43181086)

OR 3575 ADVANCE N359 {CHB,DLF,HYF,IEF} (43473003)
 Dam: OR N359 MARYANN J725 ET (43968227)
 OR MISS PROFICIENT 002Z {DOD,DLF,HYF,IEF,MSUDF} (P43173347)

Feed Efficiency
 ADG 4.72
 RFI 1.69
 FE Index -\$8.80

6/6/2022 WT 979

| | |
|-------|-------|
| BMI | CHB |
| \$423 | \$167 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|------|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 11.2 | -0.5 | 48 | 83 | 0.3 | 1.1 | 19.3 | 24 | 48 | 5.5 | 73 | 1.30 | 1.30 | 68 | 0.01 | 0.61 | 0.60 |

177A OR 36F ASSET 177A {DLF,HYF,IEF,MSUDF} (44407454)
 44407454 Horn 5/24/2021

Ratio
 BW 110%
 WW 106%
 YW 101%
 Scrotal 38.0

NJW 98S R117 RIBEYE 88X ET {SOD,CHB,DLF,HYF,IEF,MSUDF,MDF} (4309414)
 Sire: SCHU-LAR ASSET 36F {CHB,DLF,HYF,IEF,MSUDF} (P43910830)
 SCHU-LAR 9Z VIVIAN 001 22S {DLF,HYF,IEF,MSUDF} (P43271542)

OR 3575 HUSKER N151 ET {CHB,DLF,HYF,IEF} (43268575)
 Dam: OR N151 MISS HUSKER S417 {DLF,HYF,IEF} (43635789)
 OR 9059 MISS BEEF J218 (43373879)

Feed Efficiency
 ADG 4.11
 RFI 0.66
 FE Index -\$12.75

6/6/2022 WT 943

| | |
|-------|-------|
| BMI | CHB |
| \$434 | \$129 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 5.2 | 2.1 | 53 | 84 | 0.0 | 1.2 | 21.6 | 28 | 54 | 3.8 | 42 | 1.30 | 1.50 | 62 | 0.02 | 0.55 | 0.28 |

G170 OR G095 GOLDSMITH G170 {MDP} (44406845)
 44406845 Horn 5/23/2021

Ratio
 BW 105%
 WW 119%
 YW 110%
 Scrotal 37.0

EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667)
 Sire: SHF GOLDSMITH B413 G095 {CHB,DLF,HYF,IEF,MSUDF,MDC} (P44005220)
 SHF MAGGIE Y90 B66 {DLF,HYF,IEF,MSUDF,MDC} (P43477571)

DS 1045 ADVANCE 3575N {CHB,DLF,HYF,IEF} (42394633)
 Dam: OR 3575 MISS ADVANCE N726 (43968118)
 OR MISS PROGRESS 202K {DLF,HYF,IEF} (P43374234)

Feed Efficiency
 ADG 4.43
 RFI 4.66
 FE Index -\$40.70

6/6/2022 WT 1007

| | |
|-------|-------|
| BMI | CHB |
| \$444 | \$172 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| -0.2 | 2.1 | 61 | 90 | 0.2 | 1.2 | 20.1 | 35 | 65 | 1.6 | 69 | 1.30 | 1.40 | 69 | 0.04 | 0.55 | 0.74 |

L190 OR N162 HUSKER L190 {DLF,HYF,IEF,MSUDF} (44401591)
 44401591 Horn 5/29/2021

Ratio
 BW 99%
 WW 95%
 YW 100%
 Scrotal 35.0

DS 1045 ADVANCE 3575N {CHB,DLF,HYF,IEF} (42394633)
 Sire: OR 3575 HUSKER N162 ET {CHB,DLF,HYF,IEF} (43268578)
 CK MS ON TARGET F020 {DLF,HYF,IEF} (42581656)

SCHU-LAR CONVERSION 501 ET {CHB,DLF,HYF,IEF,MSUDF} (P43624399)
 Dam: OR 501 MISS COMPETITOR C832 (P44068496)
 OR 3027 MISS DOMINO 318R {DLF,HYF,IEF} (43472973)

Feed Efficiency
 ADG 4.47
 RFI 1.67
 FE Index -\$7.82

6/6/2022 WT 890

| | |
|-------|-------|
| BMI | CHB |
| \$468 | \$166 |

| | | | | | | | | | | | | | | | | |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
| 5.6 | 1.3 | 54 | 85 | 0.2 | 1.1 | 22.1 | 25 | 52 | 2.7 | 87 | 1.30 | 1.40 | 67 | 0.11 | 0.59 | 0.72 |

C182 OR 501 COMPETITOR C182 {DLF,HYF,IEF,MSUDF} (P44406899)
 44406899 Scurred 5/25/2021

Ratio
 BW 120%
 WW 115%
 YW 112%
 Scrotal 35.5

KCF BENNETT INFLUENCE Z80 {CHB,DLF,HYF,IEF} (P43282587)
 Sire: SCHU-LAR CONVERSION 501 ET {CHB,DLF,HYF,IEF,MSUDF} (P43624399)
 SCHU-LAR 10X OF 22U N093 {DLF,HYF,IEF} (P43084010)

OR 3575 HUSKER N464 ET {CHB,DLF,HYF,IEF,MSUDF} (43647548)
 Dam: OR N464 MISS ADVANCE T839 (44068547)
 OR 9059 MISS BEEF J116 (43266020)

Feed Efficiency
 ADG 4.59
 RFI 1.59
 FE Index -\$13.29

6/6/2022 WT 1000

| | |
|-------|-------|
| BMI | CHB |
| \$425 | \$143 |

| | | | | | | | | | | | | | | | | |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
| 5.1 | 3.7 | 61 | 88 | 0.3 | 1.0 | 19.9 | 19 | 49 | 3.0 | 94 | 1.60 | 1.60 | 67 | 0.05 | 0.77 | 0.48 |

B1101 OR L574 PIONEER B1101 {DLF,HYF,IEF,MSUDF} (44401197)
 44401197 Horn 6/10/2021

Ratio
 BW 85%
 WW 95%
 YW 96%
 Scrotal 35.5

OR 3575 HUSKER N162 ET {CHB,DLF,HYF,IEF} (43268578)
 Sire: OR N162 HUSKER L574 {CHB,DLF,HYF,IEF,MSUDF} (43745946)
 DS RAM DOMET 702 {DLF,HYF,IEF} (42877029)

GENOAS BONANZA 11051 {SOD,DLF,HYF,IEF,MSUDF,MDF} (P43174342)
 Dam: OR MISS BONANZA 517B {DLF,HYF,IEF} (43747036)
 OR MISS PROGRESS 113P {IEP} (P43266038)

Feed Efficiency
 ADG 4.32
 RFI 1.62
 FE Index -\$7.44

6/6/2022 WT 849

| | |
|-------|-------|
| BMI | CHB |
| \$375 | \$204 |

| | | | | | | | | | | | | | | | | |
|------|------|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
| 12.8 | -3.2 | 41 | 79 | 0.0 | 1.6 | 14.5 | 26 | 47 | 4.6 | 53 | 1.10 | 1.20 | 73 | 0.10 | 0.59 | 0.92 |

Bull Sale

Saturday, January 28, 2023

12:30 PM

OLSEN RANCHES, INC.

ARTHUR OLSEN

(308) 631-3104

DOUGLAS OLSEN

(308) 641-1273

2021 Born Bulls

| Sale Order | ID | Dam | Calv. Ease | | Birth Wt | Wean Wt | Year Wt | DMI | Scrotal Circ. | SCF | Milk & Grwth | Calv. Ease Mat. | Mat Cow Wt | Udd Susp | Teat Size | Carc Wt | Fat | Rib Eye Area | Marb | BMI Index (\$) | CHB Index (\$) | FEED EFFICIENCY TRIAL (March 13, 2022 - June 6, 2022) | | | | | | |
|------------|-------|------|------------|------|----------|---------|---------|-----|---------------|-----|--------------|-----------------|------------|----------|-----------|---------|-------|--------------|------|----------------|----------------|---|------|---------------|------------|-------|----------|----------|
| | | | Direct | Wt | | | | | | | | | | | | | | | | | | Final Wt | Gain | 70 Day Intake | Daily (lb) | F/G | RFI (lb) | RG |
| 1 | R176 | C929 | 11.3 | -0.3 | 45 | 79 | 0.2 | 1.3 | 18.5 | 29 | 52 | 5.8 | 61 | 1.4 | 1.5 | 67 | 0.03 | 0.70 | 0.58 | \$409 | \$162 | 979 | 5.03 | 23.2 | 4.35 | -1.69 | 0.69 | \$24.02 |
| 2 | 155A | H405 | 12.7 | 0.2 | 53 | 86 | 0.2 | 0.6 | 24.6 | 36 | 62 | 5.0 | 46 | 1.5 | 1.6 | 64 | -0.01 | 0.58 | 0.38 | \$487 | \$144 | 1109 | 5.01 | 25.9 | 4.34 | -1.05 | 0.44 | \$8.76 |
| 3 | 150F | 305B | 6.4 | 0.2 | 49 | 87 | 0.1 | 0.6 | 17.6 | 25 | 50 | 4.1 | 93 | 1.5 | 1.4 | 70 | 0.07 | 0.63 | 0.40 | \$394 | \$150 | 976 | 4.61 | 22.2 | 4.48 | -2.04 | 0.34 | \$17.04 |
| 4 | 159F | 414R | 6.6 | 1.1 | 58 | 95 | 0.1 | 1.5 | 19.7 | 24 | 53 | 3.0 | 102 | 1.3 | 1.3 | 87 | 0.03 | 0.87 | 0.46 | \$453 | \$180 | 986 | 3.96 | 25.6 | 5.75 | 1.96 | -0.57 | -\$30.38 |
| 5 | 168F | J725 | 11.2 | -0.5 | 48 | 83 | 0.3 | 1.1 | 19.3 | 24 | 48 | 5.5 | 73 | 1.3 | 1.3 | 68 | 0.01 | 0.61 | 0.60 | \$423 | \$167 | 979 | 4.72 | 26.2 | 5.15 | 1.69 | 0.17 | -\$8.80 |
| 6 | 177A | S417 | 5.2 | 2.1 | 53 | 84 | 0.0 | 1.2 | 21.6 | 28 | 54 | 3.8 | 42 | 1.3 | 1.5 | 62 | 0.02 | 0.55 | 0.28 | \$434 | \$129 | 943 | 4.11 | 23.6 | 5.41 | 0.66 | -0.26 | -\$12.75 |
| 7 | G170 | N726 | -0.2 | 2.1 | 61 | 90 | 0.2 | 1.2 | 20.1 | 35 | 65 | 1.6 | 69 | 1.3 | 1.4 | 69 | 0.04 | 0.55 | 0.74 | \$444 | \$172 | 1007 | 4.43 | 29.2 | 5.89 | 4.66 | -0.35 | -\$40.70 |
| 8 | L190 | C832 | 5.6 | 1.3 | 54 | 85 | 0.2 | 1.1 | 22.1 | 25 | 52 | 2.7 | 87 | 1.3 | 1.4 | 67 | 0.11 | 0.59 | 0.72 | \$468 | \$166 | 890 | 4.47 | 24.3 | 5.47 | 1.67 | 0.07 | -\$7.82 |
| 9 | C182 | T839 | 5.1 | 3.7 | 61 | 88 | 0.3 | 1.0 | 19.9 | 19 | 49 | 3.0 | 94 | 1.6 | 1.6 | 67 | 0.05 | 0.77 | 0.48 | \$425 | \$143 | 1000 | 4.59 | 26.3 | 5.18 | 1.59 | 0.02 | -\$13.29 |
| 10 | B1101 | 517B | 12.8 | -3.2 | 41 | 79 | 0.0 | 1.6 | 14.5 | 26 | 47 | 4.6 | 53 | 1.1 | 1.2 | 73 | 0.10 | 0.59 | 0.92 | \$375 | \$204 | 849 | 4.32 | 23.3 | 5.65 | 1.62 | 0.00 | -\$7.44 |
| 11 | B154 | C927 | 15.5 | -1.2 | 46 | 87 | 0.1 | 1.0 | 18.0 | 18 | 41 | 5.0 | 94 | 1.4 | 1.4 | 74 | 0.08 | 0.78 | 0.82 | \$428 | \$198 | 951 | 4.81 | 23.6 | 4.67 | -0.68 | 0.45 | \$12.84 |
| 12 | G186 | S330 | 12.6 | -1.9 | 37 | 60 | -0.2 | 0.8 | 19.9 | 25 | 44 | 10.0 | 24 | 1.4 | 1.5 | 57 | 0.09 | 0.37 | 0.66 | \$415 | \$152 | 828 | 4.18 | 21.7 | 5.50 | 0.50 | -0.02 | -\$1.23 |
| 13 | G180 | 722F | 6.5 | 0.0 | 49 | 69 | 0.1 | 1.1 | 21.7 | 27 | 52 | 3.1 | 38 | 1.6 | 1.5 | 53 | 0.08 | 0.44 | 0.79 | \$443 | \$152 | 898 | 3.92 | 24.1 | 6.02 | 2.23 | -0.47 | -\$25.49 |
| 14 | 183F | 401R | 7.0 | 2.3 | 55 | 86 | 0.1 | 1.1 | 21.0 | 25 | 52 | 3.5 | 87 | 1.4 | 1.3 | 67 | 0.04 | 0.70 | 0.58 | \$454 | \$163 | 905 | 4.34 | 22.9 | 5.21 | 0.22 | 0.04 | -\$0.64 |
| 15 | 199A | 824F | 11.1 | 0.5 | 50 | 87 | 0.1 | 1.3 | 22.2 | 28 | 52 | 5.0 | 39 | 1.4 | 1.5 | 72 | 0.03 | 0.70 | 0.61 | \$473 | \$178 | 907 | 4.25 | 23.5 | 5.42 | 0.92 | -0.09 | -\$8.44 |
| 16 | 158C | 115R | 13.7 | -2.6 | 47 | 67 | -0.2 | 1.7 | 24.6 | 34 | 57 | 9.4 | 63 | 1.4 | 1.5 | 68 | 0.03 | 0.36 | 0.74 | \$512 | \$179 | 869 | 4.00 | 20.7 | 5.23 | -0.85 | -0.14 | \$2.35 |
| 17 | G156 | J736 | 18.5 | -3.7 | 33 | 43 | 0.0 | 0.9 | 18.5 | 28 | 45 | 10.8 | 2 | 1.3 | 1.5 | 40 | 0.02 | 0.32 | 0.58 | \$368 | \$120 | 834 | 3.52 | 22.2 | 6.44 | 1.82 | -0.72 | -\$27.15 |
| 18 | 172A | T740 | 2.5 | 2.3 | 56 | 82 | 0.2 | 1.0 | 21.6 | 32 | 60 | 2.2 | 35 | 1.4 | 1.4 | 63 | 0.01 | 0.54 | 0.56 | \$447 | \$151 | 947 | 4.27 | 23.7 | 5.24 | 0.46 | -0.10 | -\$7.55 |
| 19 | 194A | 825R | 7.4 | 0.6 | 44 | 78 | -0.2 | 1.0 | 25.5 | 25 | 47 | 3.7 | 69 | 1.5 | 1.5 | 61 | 0.02 | 0.51 | 0.44 | \$507 | \$150 | 841 | 3.75 | 19.3 | 5.39 | -1.15 | -0.28 | \$1.79 |
| 20 | 169A | N602 | 2.1 | 2.5 | 52 | 86 | 0.0 | 1.4 | 19.7 | 31 | 57 | 1.5 | 93 | 1.0 | 1.1 | 71 | 0.02 | 0.58 | 0.60 | \$443 | \$174 | 941 | 4.13 | 18.1 | 4.09 | -5.06 | 0.14 | \$29.94 |
| 21 | 151W | L523 | 4.5 | 0.2 | 48 | 76 | 0.0 | 1.6 | 18.5 | 23 | 47 | 2.4 | 49 | 1.3 | 1.3 | 76 | 0.05 | 0.63 | 0.84 | \$434 | \$198 | 937 | 4.36 | 21.8 | 4.76 | -1.52 | 0.13 | \$9.87 |
| 22 | K153 | 620Z | 7.8 | 1.2 | 45 | 78 | -0.1 | 0.8 | 23.6 | 25 | 48 | 3.8 | 112 | 1.2 | 1.4 | 55 | 0.08 | 0.35 | 0.22 | \$454 | \$111 | 970 | 4.57 | 24.7 | 5.02 | 0.52 | 0.13 | -\$3.14 |

B154 OR L574 PIONEER B154 {DLF,HYF,IEF,MSUDF} (P44402041)
 44402041 Polled 5/18/2021

Ratio
 BW 85%
 WW 101%
 YW 105%
 Scrotal 33.0

OR 3575 HUSKER N162 ET {CHB,DLF,HYF,IEF} (43268578)
 Sire: OR N162 HUSKER L574 {CHB,DLF,HYF,IEF,MSUDF} (43745946)
 DS RAM DOMET 702 {DLF,HYF,IEF} (42877029)

SCHU-LAR CONVERSION 501 ET {CHB,DLF,HYF,IEF,MSUDF} (P43624399)
 Dam: OR 501 MISS COMPETITOR C927 (P44195229)
 OR U332 MISS BEEF EATER 308T {DLF,HYF,IEF} (P43472989)

Feed Efficiency
 ADG 4.81
 RFI -0.68
 FE Index \$12.84

6/6/2022 WT 951

| | |
|-------|-------|
| BMI | CHB |
| \$428 | \$198 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|------|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 15.5 | -1.2 | 46 | 87 | 0.1 | 1.0 | 18.0 | 18 | 41 | 5.0 | 94 | 1.40 | 1.40 | 74 | 0.08 | 0.78 | 0.82 |

G186 OR G095 GOLDSMITH G186 {DLF,HYF,IEF,MSUDF,MDC} (P44406874)
 44406874 Polled 5/26/2021

Ratio
 BW 89%
 WW 79%
 YW 90%
 Scrotal 33.0

EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667)
 Sire: SHF GOLDSMITH B413 G095 {CHB,DLF,HYF,IEF,MSUDF,MDC} (P44005220)
 SHF MAGGIE Y90 B66 {DLF,HYF,IEF,MSUDF,MDC} (P43477571)

OR 3575 HUSKER N151 ET {CHB,DLF,HYF,IEF} (43268575)
 Dam: OR N151 MISS HUSKER S330 {DLF,HYF,IEF} (P43472980)
 OR MISS FRANK 902F {DLF,HYF,IEF} (P43068243)

Feed Efficiency
 ADG 4.18
 RFI 0.50
 FE Index -\$1.23

6/6/2022 WT 828

| | |
|-------|-------|
| BMI | CHB |
| \$415 | \$152 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|------|----|----|------|-----|------|----|-----|------|-----|------|------|----|------|------|------|
| 12.6 | -1.9 | 37 | 60 | -0.2 | 0.8 | 19.9 | 25 | 44 | 10.0 | 24 | 1.40 | 1.50 | 57 | 0.09 | 0.37 | 0.66 |

G180 OR G095 IMPROVER G180 {DLF,HYF,IEF,MSUDF,MDF} (P44401434)
 44401434 Homozygous Polled 5/25/2021

Ratio
 BW 96%
 WW 108%
 YW 99%
 Scrotal 34.0

EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667)
 Sire: SHF GOLDSMITH B413 G095 {CHB,DLF,HYF,IEF,MSUDF,MDC} (P44005220)
 SHF MAGGIE Y90 B66 {DLF,HYF,IEF,MSUDF,MDC} (P43477571)

EFBEEF X651 TESTED A250 {CHB,DLF,HYF,IEF,MSUDF} (P43440096)
 Dam: OR A250 MISS TESTED 722F (P43968202)
 OR 3575 MISS ADVANCE N507 {DLF,HYF,IEF} (43745908)

Feed Efficiency
 ADG 3.92
 RFI 2.23
 FE Index -\$25.49

6/6/2022 WT 898

| | |
|-------|-------|
| BMI | CHB |
| \$443 | \$152 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 6.5 | 0.0 | 49 | 69 | 0.1 | 1.1 | 21.7 | 27 | 52 | 3.1 | 38 | 1.60 | 1.50 | 53 | 0.08 | 0.44 | 0.79 |

183F OR F158 FORESIGHT 183F {DLF,HYF,IEF,MSUDF} (P44407455)
 44407455 Polled 5/26/2021

EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667)
 Sire: SHF FORESIGHT B413 F158 {CHB,DLF,HYF,IEF} (P43894968)
 SHF GERBER R117 Y200 {DLF,HYF,IEF} (P43181086)

Ratio
 BW 101%
 WW 99%
 YW 98%
 Scrotal 34.0

UPS DOMINO 3027 {CHB,SOD,DLF,HYF,IEF,MSUDF,MDF} (42426386)
 Dam: OR 3027 MISS DOMINO 401R {DLF,HYF,IEF} (43635798)
 DS RAM DOMET 702 {DLF,HYF,IEF} (42877029)

Feed Efficiency
 ADG 4.34
 RFI 0.22
 FE Index -\$0.64

6/6/2022 WT 905

| BMI | CHB |
|-------|-------|
| \$454 | \$163 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 7.0 | 2.3 | 55 | 86 | 0.1 | 1.1 | 21.0 | 25 | 52 | 3.5 | 87 | 1.40 | 1.30 | 67 | 0.04 | 0.70 | 0.58 |

199A OR 36F ASSET 199A {DLF,HYF,IEF,MSUDF} (P44401453)
 44401453 Polled 6/6/2021

NJW 98S R117 RIBEYE 88X ET {SOD,CHB,DLF,HYF,IEF,MSUDF,MDF} (43094141)
 Sire: SCHU-LAR ASSET 36F {CHB,DLF,HYF,IEF,MSUDF} (P43910830)
 SCHU-LAR 9Z VIVIAN 001 22S {DLF,HYF,IEF,MSUDF} (P43271542)

Ratio
 BW 95%
 WW 105%
 YW 104%
 Scrotal 34.0

EFBEEF X651 TESTED A250 {CHB,DLF,HYF,IEF,MSUDF} (P43440096)
 Dam: OR A250 MISS TESTED 824F (P44068603)
 OR 3575 MISS ADVANCE N629 {DLF,HYF,IEF} (43860081)

Feed Efficiency
 ADG 4.25
 RFI 0.92
 FE Index -\$8.44

6/6/2022 WT 907

| BMI | CHB |
|-------|-------|
| \$473 | \$178 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 11.1 | 0.5 | 50 | 87 | 0.1 | 1.3 | 22.2 | 28 | 52 | 5.0 | 39 | 1.40 | 1.50 | 72 | 0.03 | 0.70 | 0.61 |

158C OR 226Z PREMIER 158C {DLF,HYF,IEF,MSUDF} (P44407450)
 44407450 Polled 5/21/2021

SHF RIB EYE M326 R117 {CHB,SOD,DLF,HYF,IEF} (P42584003)
 Sire: FTF PRIME PRODUCT 226Z {CHB,SOD,DLF,HYF,IEF} (P43289496)
 FTF CLASSIC MISS 0206X {DLF,HYF,IEF} (P43074925)

Ratio
 BW 79%
 WW 96%
 YW 94%
 Scrotal 38.0

UPS DOMINO 3027 {CHB,SOD,DLF,HYF,IEF,MSUDF,MDF} (42426386)
 Dam: OR 3027 MISS DOMINO 115R (43266037)
 DS RAM DOMET 704 {DLF,HYF,IEF} (42877018)

Feed Efficiency
 ADG 4.00
 RFI -0.85
 FE Index \$2.35

6/6/2022 WT 869

| BMI | CHB |
|-------|-------|
| \$512 | \$179 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|------|----|----|------|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 13.7 | -2.6 | 47 | 67 | -0.2 | 1.7 | 24.6 | 34 | 57 | 9.4 | 63 | 1.40 | 1.50 | 68 | 0.03 | 0.36 | 0.74 |

G156 OR G095 GOLDSMITH G156 {MDP} (P44406822)

44406822

Scurred

5/18/2021

Ratio

EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667)
Sire: SHF GOLDSMITH B413 G095 {CHB,DLF,HYF,IEF,MSUDF,MDC} (P44005220)
SHF MAGGIE Y90 B66 {DLF,HYF,IEF,MSUDF,MDC} (P43477571)

BW 88%
WW 100%
YW 90%
Scrotal 35.0

OR 3575 ADVANCE N359 {CHB,DLF,HYF,IEF} (43473003)
Dam: OR N359 MARYANN J736 ET (43968228)
OR MISS PROFICIENT 002Z {DOD,DLF,HYF,IEF,MSUDF} (P43173347)

Feed Efficiency
ADG 3.52
RFI 1.82
FE Index -\$27.15

6/6/2022 WT 834

| BMI | CHB |
|-------|-------|
| \$368 | \$120 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|------|----|----|-----|-----|------|----|-----|------|-----|------|------|----|------|------|------|
| 18.5 | -3.7 | 33 | 43 | 0.0 | 0.9 | 18.5 | 28 | 45 | 10.8 | 2 | 1.30 | 1.50 | 40 | 0.02 | 0.32 | 0.58 |

172A OR 36F ASSET 172A {DLF,HYF,IEF,MSUDF} (P44407453)

44407453

Polled

5/23/2021

Ratio

NJW 98S R117 RIBEYE 88X ET {SOD,CHB,DLF,HYF,IEF,MSUDF,MDF} (4309414)
Sire: SCHU-LAR ASSET 36F {CHB,DLF,HYF,IEF,MSUDF} (P43910830)
SCHU-LAR 9Z VIVIAN 001 22S {DLF,HYF,IEF,MSUDF} (P43271542)

BW 112%
WW 113%
YW 104%
Scrotal 36.0

OR 3575 HUSKER N464 ET {CHB,DLF,HYF,IEF,MSUDF} (43647548)
Dam: OR N464 MISS ADVANCE T740 (P43968131)
OR U332 MISS BEEF EATER 308T {DLF,HYF,IEF} (P43472989)

Feed Efficiency
ADG 4.27
RFI 0.46
FE Index -\$7.55

6/6/2022 WT 947

| BMI | CHB |
|-------|-------|
| \$447 | \$151 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 2.5 | 2.3 | 56 | 82 | 0.2 | 1.0 | 21.6 | 32 | 60 | 2.2 | 35 | 1.40 | 1.40 | 63 | 0.01 | 0.54 | 0.56 |

194A OR 36F ASSET 194A {DLF,HYF,IEF,MSUDF,MDF} (P44407457)

44407457

Polled

5/30/2021

Ratio

NJW 98S R117 RIBEYE 88X ET {SOD,CHB,DLF,HYF,IEF,MSUDF,MDF} (4309414)
Sire: SCHU-LAR ASSET 36F {CHB,DLF,HYF,IEF,MSUDF} (P43910830)
SCHU-LAR 9Z VIVIAN 001 22S {DLF,HYF,IEF,MSUDF} (P43271542)

BW 92%
WW 100%
YW 95%
Scrotal 34.0

UPS DOMINO 3027 {CHB,SOD,DLF,HYF,IEF,MSUDF,MDF} (42426386)
Dam: OR 3027 MISS DOMINO 825R {MDP} (44068611)
OR S361 MISS HUSKER F622 {DLF,HYF,IEF,MDP} (43860100)

Feed Efficiency
ADG 3.75
RFI -1.15
FE Index \$1.79

6/6/2022 WT 841

| BMI | CHB |
|-------|-------|
| \$507 | \$150 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|------|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 7.4 | 0.6 | 44 | 78 | -0.2 | 1.0 | 25.5 | 25 | 47 | 3.7 | 69 | 1.50 | 1.50 | 61 | 0.02 | 0.51 | 0.44 |

169A OR 36F ASSET 169A {DLF,HYF,IEF,MSUDF} (44407452)

44407452 Horn 5/23/2021

Ratio

BW 109%
WW 114%
YW 102%
Scrotal 38.5

NJW 98S R117 RIBEYE 88X ET {SOD,CHB,DLF,HYF,IEF,MSUDF,MDF} (4309414)

Sire: SCHU-LAR ASSET 36F {CHB,DLF,HYF,IEF,MSUDF} (P43910830)

SCHU-LAR 9Z VIVIAN 001 22S {DLF,HYF,IEF,MSUDF} (P43271542)

DS 1045 ADVANCE 3575N {CHB,DLF,HYF,IEF} (42394633)

Dam: OR 3575 MISS ADVANCE N602 {DOD,DLF,HYF,IEF} (43860080)

OR 3027 MISS DOMINO 217R {DLF,HYF,IEF} (43374239)

Feed Efficiency
ADG 4.13
RFI -5.06
FE Index \$29.94

6/6/2022 WT 941

| | |
|-------|-------|
| BMI | CHB |
| \$443 | \$174 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 2.1 | 2.5 | 52 | 86 | 0.0 | 1.4 | 19.7 | 31 | 57 | 1.5 | 93 | 1.00 | 1.10 | 71 | 0.02 | 0.58 | 0.60 |

151W OR 9764W DOMINO 151W {DLF,HYF,IEF,MSUDF} (44406826)

44406826 Horn 5/15/2021

Ratio

BW 86%
WW 105%
YW 99%
Scrotal 35.0

UPS DOMINO 3027 {CHB,SOD,DLF,HYF,IEF,MSUDF,MDF} (42426386)

Sire: /S 3027 DOMINO 9764W {SOD,CHB,DLF,HYF,IEF,MSUDF} (43052934)

/S LADY ADVANCE 7202 {DLF,HYF,IEF} (42856677)

OR 3575 HUSKER N162 ET {CHB,DLF,HYF,IEF} (43268578)

Dam: OR N162 MISS HUSKER L523 {DLF,HYF,IEF} (43745972)

DS RAM DOMET 604 (42781497)

Feed Efficiency
ADG 4.36
RFI -1.52
FE Index \$9.87

6/6/2022 WT 937

| | |
|-------|-------|
| BMI | CHB |
| \$434 | \$198 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 4.5 | 0.2 | 48 | 76 | 0.0 | 1.6 | 18.5 | 23 | 47 | 2.4 | 49 | 1.30 | 1.30 | 76 | 0.05 | 0.63 | 0.84 |

K153 OR N753 STRATEGIC K153 {DLF,HYF,IEF,MSUDF} (44401419)

44401419 Horn 5/18/2021

Ratio

BW 107%
WW 86%
YW 104%
Scrotal 33.0

DS 1045 ADVANCE 3575N {CHB,DLF,HYF,IEF} (42394633)

Sire: OR 3575 ADVANCE N753 {DLF,HYF,IEF} (43968107)

OR 3027 MISS DOMINO 006R {DOD,DLF,HYF,IEF} (43173323)

EFBEEF SCHU-LAR PROFICIENT N093 {SOD,DLF,HYF,IEF,MSUDF} (P42444860)

Dam: OR MISS PROFICIENT 620Z {DLF,HYF,IEF} (P43860078)

OR U332 MISS BEEF EATER 215T {DLF,HYF,IEF} (P43373905)

Feed Efficiency
ADG 4.57
RFI 0.52
FE Index -\$3.14

6/6/2022 WT 970

| | |
|-------|-------|
| BMI | CHB |
| \$454 | \$111 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|------|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 7.8 | 1.2 | 45 | 78 | -0.1 | 0.8 | 23.6 | 25 | 48 | 3.8 | 112 | 1.20 | 1.40 | 55 | 0.08 | 0.35 | 0.22 |

T160 160 {MDP} 1/2 RA 1/2 Hereford (U44401589)
 44401589 Scurred

5/21/2021

Ratio

Sire: 5L DEFENDER 560-30Z 1549933
 SCHULER TOP HAND D911 3553018
 SOR BRASKA ENDRANCE B625 1697015

BW 0%
 WW 0%
 YW 0%
 Scrotal 40.0

Dam: OR N162 HUSKER L574 {CHB,DLF,HYF,IEF,MSUDF} (43745946)
 OR L574 MISS PIONEER B931 {MDP} (44195368)
 OR 466S DREAMY Z702 {MDP} (43968139)

Feed Efficiency
 ADG 4.60
 RFI 1.56
 FE Index -\$12.27

6/6/2022 WT 995

| BMI | CHB |
|-----|-----|
| \$0 | \$0 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|------|----|-----|-----|-----|-----|----|-----|-----|-----|------|------|----|------|------|------|
| 0.0 | -0.5 | 56 | 115 | 0.0 | 0.0 | 0.0 | 28 | 0 | 0.0 | 0 | 0.00 | 0.00 | 73 | 0.03 | 0.54 | 0.72 |

R1117 R1117 1/2 RA 1/2 Hereford (U44407463)
 44407463 Polled

7/8/2021

Ratio

Sire: SCHULER NEBULA P707 0050X 1382281
 SCHULER NEBULA0050 3373A 1613629
 SOR MARLEE BC 7770T 1184611

BW 0%
 WW 0%
 YW 0%
 Scrotal 38.0

Dam: OR 3575 HUSKER N464 ET {CHB,DLF,HYF,IEF,MSUDF} (43647548)
 OR N464 MISS ADVANCE T701 (43968187)
 OR 9059 MISS BEEF J911 {DLF,HYF,IEF} (43068241)

Feed Efficiency
 ADG 4.56
 RFI 0.10
 FE Index \$4.05

6/6/2022 WT 925

| BMI | CHB |
|-----|-----|
| \$0 | \$0 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|-----|-----|-----|----|-----|-----|-----|------|------|----|------|------|------|
| 0.0 | 0.4 | 49 | 90 | 0.0 | 0.0 | 0.0 | 34 | 0 | 0.0 | 0 | 0.00 | 0.00 | 79 | 0.05 | 0.53 | 0.56 |

R1119 R1119 1/2 RA 1/2 Hereford (U44401210)
 44401210 Polled

7/18/2021

Ratio

Sire: SCHULER NEBULA P707 0050X 1382282
 SCHULER NEBULA0050 3373A 1613630
 SOR MARLEE BC 7770T 1184612

BW 0%
 WW 0%
 YW 0%
 Scrotal 36.0

Dam: GENOAS BONANZA 11051 {SOD,DLF,HYF,IEF,MSUDF,MDF} (P43174342)
 OR MISS BONANZA 607B {DLF,HYF,IEF} (P43860091)
 OR 3027 MISS DOMINO 403R {DOD,DLF,HYF,IEF} (43635783)

Feed Efficiency
 ADG 4.07
 RFI 1.33
 FE Index -\$5.63

6/6/2022 WT 790

| BMI | CHB |
|-----|-----|
| \$0 | \$0 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|------|----|----|-----|-----|-----|----|-----|-----|-----|------|------|----|------|------|------|
| 0.0 | -1.5 | 46 | 89 | 0.0 | 0.0 | 0.0 | 37 | 0 | 0.0 | 0 | 0.00 | 0.00 | 71 | 0.04 | 0.12 | 0.46 |

K163 OR N753 STRATEGIC K163 {DLF,HYF,IEF,MSUDF} (P44401157)
 44401157 Scurred 5/22/2021

DS 1045 ADVANCE 3575N {CHB,DLF,HYF,IEF} (42394633)
 Sire: OR 3575 ADVANCE N753 {DLF,HYF,IEF} (43968107)
 OR 3027 MISS DOMINO 006R {DOD,DLF,HYF,IEF} (43173323)

Ratio
 BW 111%
 WW 0%
 YW 0%
 Scrotal 41.0

SHF MASTER PIECE P20 Z18 {CHB,DLF,HYF,IEF} (P43275434)
 Dam: OR Z18 MISS FAMOUS 508F {DOD,DLF,HYF,IEF} (P43749563)
 OR U332 MISS BEEF EATER 206T {DLF,HYF,IEF} (P43373906)

Feed Efficiency
 ADG 5.11
 RFI 2.04
 FE Index -\$9.93

6/6/2022 WT 1076

| | |
|-------|-------|
| BMI | CHB |
| \$489 | \$150 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 1.7 | 0.8 | 52 | 79 | 0.1 | 1.9 | 24.0 | 28 | 55 | 0.2 | 93 | 1.20 | 1.40 | 68 | 0.04 | 0.52 | 0.51 |

166W OR 9764 DOMINO 166W {DLF,HYF,IEF,MSUDF} (44399919)
 44399919 Horn 5/23/2021

UPS DOMINO 3027 {CHB,SOD,DLF,HYF,IEF,MSUDF,MDF} (42426386)
 Sire: /S 3027 DOMINO 9764W {SOD,CHB,DLF,HYF,IEF,MSUDF} (43052934)
 /S LADY ADVANCE 7202 {DLF,HYF,IEF} (42856677)

Ratio
 BW 104%
 WW 102%
 YW 95%
 Scrotal 36.0

SHF PROGRESS P20 {SOD,DLF,HYF,IEF} (P42481042)
 Dam: OR MISS PROGRESS 109P (P43266042)
 DS RAM DOMET 602 (42781505)

Feed Efficiency
 ADG 3.87
 RFI -0.96
 FE Index -\$1.24

6/6/2022 WT 874

| | |
|-------|-------|
| BMI | CHB |
| \$359 | \$122 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|------|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 5.1 | 0.8 | 38 | 59 | -0.2 | 0.6 | 17.5 | 20 | 39 | 3.1 | 36 | 1.30 | 1.30 | 46 | 0.05 | 0.25 | 0.50 |

173W OR 9764 DOMINO 173W {DLF,HYF,IEF,MSUDF} (44401202)
 44401202 Horn 5/24/2021

UPS DOMINO 3027 {CHB,SOD,DLF,HYF,IEF,MSUDF,MDF} (42426386)
 Sire: /S 3027 DOMINO 9764W {SOD,CHB,DLF,HYF,IEF,MSUDF} (43052934)
 /S LADY ADVANCE 7202 {DLF,HYF,IEF} (42856677)

Ratio
 BW 114%
 WW 106%
 YW 101%
 Scrotal 36.0

SHF PROGRESS P20 {SOD,DLF,HYF,IEF} (P42481042)
 Dam: OR MISS PROGRESS 521K {DLF,HYF,IEF} (43747048)
 OR 3575 MISS ADVANCE N320 {DLF,HYF,IEF} (43472953)

Feed Efficiency
 ADG 4.21
 RFI -1.74
 FE Index \$8.09

6/6/2022 WT 940

| | |
|-------|-------|
| BMI | CHB |
| \$317 | \$125 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|-----|-----|------|----|-----|------|-----|------|------|----|-------|------|------|
| 0.7 | 2.1 | 42 | 71 | 0.1 | 1.0 | 14.4 | 16 | 37 | -0.8 | 67 | 1.20 | 1.20 | 51 | -0.01 | 0.26 | 0.42 |

184W OR 9764 DOMINO 184W {DLF,HYF,IEF,MSUDF} (44401130)
 44401130 Horn 5/26/2021

Ratio
 BW 110%
 WW 101%
 YW 98%
 Scrotal 35.0

UPS DOMINO 3027 {CHB,SOD,DLF,HYF,IEF,MSUDF,MDF} (42426386)
 Sire: /S 3027 DOMINO 9764W {SOD,CHB,DLF,HYF,IEF,MSUDF} (43052934)
 /S LADY ADVANCE 7202 {DLF,HYF,IEF} (42856677)

GENOAS BONANZA 11051 {SOD,DLF,HYF,IEF,MSUDF,MDF} (P43174342)
 Dam: OR MISS BONANZA 409B {DOD,DLF,HYF,IEF} (43635831)
 OR MISS PROGRESS 113P {IEP} (P43266038)

Feed Efficiency
 ADG 4.78
 RFI 0.41
 FE Index \$8.22

6/6/2022 WT 903

| | |
|-------|-------|
| BMI | CHB |
| \$397 | \$144 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 1.4 | 1.0 | 48 | 79 | 0.1 | 1.0 | 19.4 | 28 | 52 | 2.2 | 28 | 1.00 | 1.00 | 49 | 0.02 | 0.08 | 0.66 |

197E OR E158 RESOLVE 197E {DLF,HYF,IEF,MSUDF} (P44407076)
 44407076 Scurred 6/1/2021

Ratio
 BW 119%
 WW 126%
 YW 116%
 Scrotal 36.0

EFBEEF RESOLUTE CEO {CHB,DLF,HYF,IEF,MSUDF} (P43591829)
 Sire: EFBEEF C609 RESOLUTE E158 ET {CHB,DLF,HYF,IEF} (P43847198)
 EFBEEF P606 MABEL R415 (P42635108)

OR 3575 HUSKER N464 ET {CHB,DLF,HYF,IEF,MSUDF} (43647548)
 Dam: OR N464 MISS ADVANCE T805 (44068491)
 OR U332 MISS BEEF EATER 306T {DLF,HYF,IEF} (P43472964)

Feed Efficiency
 ADG 4.83
 RFI -1.38
 FE Index \$13.39

6/6/2022 WT 1024

| | |
|-------|-------|
| BMI | CHB |
| \$499 | \$170 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 10.8 | 3.0 | 64 | 96 | 0.7 | 1.3 | 24.1 | 28 | 60 | 5.3 | 56 | 1.30 | 1.40 | 85 | 0.05 | 0.83 | 0.56 |

B1106 OR L574 PIONEER B1106 {DLF,HYF,IEF,MSUDF} (44401436)
 44401436 Horn 6/11/2021

Ratio
 BW 101%
 WW 100%
 YW 95%
 Scrotal 36.0

OR 3575 HUSKER N162 ET {CHB,DLF,HYF,IEF} (43268578)
 Sire: OR N162 HUSKER L574 {CHB,DLF,HYF,IEF,MSUDF} (43745946)
 DS RAM DOMET 702 {DLF,HYF,IEF} (42877029)

LOEWEN C&L 33N APOLLO A42 ET {CHB,DLF,HYF,IEF,MSUDF} (P43373567)
 Dam: OR A42 MISS APOLLO 727Z (P43977948)
 DS RAM DOMET 607 {DLF,HYF,IEF} (42781496)

Feed Efficiency
 ADG 3.98
 RFI -0.47
 FE Index \$2.33

6/6/2022 WT 827

| | |
|-------|-------|
| BMI | CHB |
| \$435 | \$168 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|-----|----|----|------|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 13.0 | 0.5 | 51 | 91 | -0.1 | 1.0 | 18.9 | 26 | 51 | 5.5 | 91 | 1.30 | 1.40 | 78 | 0.04 | 1.04 | 0.35 |

165A OR 36F ASSET 165A {DLF,HYF,IEF,MSUDF} (P44407449)
 44407449 Homozygous Polled 5/22/2021

Ratio
 BW 93%
 NJW 98S R117 RIBEYE 88X ET {SOD,CHB,DLF,HYF,IEF,MSUDF,MDF} (4309414) WW 86%
 Sire: SCHU-LAR ASSET 36F {CHB,DLF,HYF,IEF,MSUDF} (P43910830) YW 92%
 SCHU-LAR 9Z VIVIAN 001 22S {DLF,HYF,IEF,MSUDF} (P43271542) Scrotal 33.0

OR 3575 HUSKER N151 ET {CHB,DLF,HYF,IEF} (43268575) Feed Efficiency
 Dam: OR N151 MISS HUSKER S502 {DLF,HYF,IEF} (P43745968) ADG 4.06
 OR U332 MISS BEEF EATER 323T (P43472974) RFI 0.80
 FE Index -\$7.69

6/6/2022 WT 855

| | |
|-------|-------|
| BMI | CHB |
| \$437 | \$138 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|-----|-----|----|----|------|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 8.4 | 0.3 | 40 | 63 | -0.2 | 1.4 | 21.7 | 24 | 44 | 5.4 | 34 | 1.20 | 1.20 | 56 | 0.02 | 0.48 | 0.44 |

G164 OR G095 IMPROVER G164 {DLF,HYF,IEF,MSUDF,MDC} (P44402039)
 44402039 Polled 5/22/2021

Ratio
 BW 71%
 EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667) WW 84%
 Sire: SHF GOLDSMITH B413 G095 {CHB,DLF,HYF,IEF,MSUDF,MDC} (P44005220) YW 90%
 SHF MAGGIE Y90 B66 {DLF,HYF,IEF,MSUDF,MDC} (P43477571) Scrotal 33.0

SCHU-LAR CONVERSION 501 ET {CHB,DLF,HYF,IEF,MSUDF} (P43624399) Feed Efficiency
 Dam: OR 501 MISS COMPETITOR C926 (P44195304) ADG 4.09
 OR RAM DOMET H319 {DLF,HYF,IEF} (43472950) RFI 0.20
 FE Index \$1.28

6/6/2022 WT 808

| | |
|-------|-------|
| BMI | CHB |
| \$452 | \$153 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|------|----|----|------|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 14.9 | -4.0 | 38 | 56 | -0.2 | 1.1 | 22.3 | 23 | 42 | 8.4 | 26 | 1.50 | 1.50 | 54 | 0.10 | 0.45 | 0.73 |

G178 OR G095 GOLDSMITH G178 {DLF,HYF,IEF,MSUDF,MDC} (P44406887)
 44406887 Polled 5/24/2021

Ratio
 BW 84%
 EFBEEF BR VALIDATED B413 {CHB,DLF,HYF,IEF,MSUDF,MDF} (P43558667) WW 95%
 Sire: SHF GOLDSMITH B413 G095 {CHB,DLF,HYF,IEF,MSUDF,MDC} (P44005220) YW 93%
 SHF MAGGIE Y90 B66 {DLF,HYF,IEF,MSUDF,MDC} (P43477571) Scrotal 34.0

OR 3575 HUSKER N151 ET {CHB,DLF,HYF,IEF} (43268575) Feed Efficiency
 Dam: OR N151 MISS HUSKER S827 (P44068613) ADG 3.98
 OR A250 MISS TESTED 610F {DLF,HYF,IEF} (P43860119) RFI -0.84
 FE Index \$3.84

6/6/2022 WT 840

| | |
|-------|-------|
| BMI | CHB |
| \$444 | \$160 |

| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
|------|------|----|----|------|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| 15.7 | -2.9 | 39 | 60 | -0.1 | 1.4 | 21.8 | 30 | 49 | 9.3 | 18 | 1.30 | 1.40 | 55 | 0.08 | 0.23 | 0.80 |

S179 OR N151 HUSKER S179 {DLF,HYF,IEF,MSUDF} (44407456)
 44407456 Horn 5/25/2021

Ratio
 BW 104%
 WW 99%
 YW 107%
 Scrotal 36.0

DS 1045 ADVANCE 3575N {CHB,DLF,HYF,IEF} (42394633)
 Sire: OR 3575 HUSKER N151 ET {CHB,DLF,HYF,IEF} (43268575)
 CK MS ON TARGET F020 {DLF,HYF,IEF} (42581656)

EFBEEF M821 BEEF EATER U332 {DLF,HYF,IEF,MSUDF} (P42896725)
 Dam: OR U332 MISS BEEF EATER 206T {DLF,HYF,IEF} (P43373906)
 DS 5216 DOMET 801 {DOD} (42969994)

Feed Efficiency
 ADG 5.09
 RFI -1.75
 FE Index \$25.02

6/6/2022 WT 989

| | |
|-------|-------|
| BMI | CHB |
| \$425 | \$155 |

| | | | | | | | | | | | | | | | | |
|-----|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
| 4.7 | 1.6 | 57 | 95 | 0.2 | 2.1 | 20.0 | 30 | 59 | 5.3 | 53 | 1.20 | 1.40 | 69 | 0.12 | 0.52 | 0.58 |

C1104 OR 501 COMPETITOR C1104 {DLF,HYF,IEF,MSUDF} (P44406841)
 44406841 Scurred 6/10/2021

Ratio
 BW 107%
 WW 101%
 YW 102%
 Scrotal 35.0

KCF BENNETT INFLUENCE Z80 {CHB,DLF,HYF,IEF} (P43282587)
 Sire: SCHU-LAR CONVERSION 501 ET {CHB,DLF,HYF,IEF,MSUDF} (P43624399)
 SCHU-LAR 10X OF 22U N093 {DLF,HYF,IEF} (P43084010)

DS 1045 ADVANCE 3575N {CHB,DLF,HYF,IEF} (42394633)
 Dam: OR 3575 MISS ADVANCE N629 {DLF,HYF,IEF} (43860081)
 OR U332 MISS BEEF EATER 304T {DLF,HYF,IEF} (P43472999)

Feed Efficiency
 ADG 4.38
 RFI -1.79
 FE Index \$15.73

6/6/2022 WT 895

| | |
|-------|-------|
| BMI | CHB |
| \$505 | \$165 |

| | | | | | | | | | | | | | | | | |
|------|-----|----|----|-----|-----|------|----|-----|-----|-----|------|------|----|------|------|------|
| CED | BW | WW | YW | DMI | SC | SCF | MK | M&G | CEM | MCW | UDD | TEAT | CW | FT | REA | MARB |
| 11.1 | 1.5 | 55 | 83 | 0.1 | 1.2 | 24.7 | 14 | 41 | 6.3 | 79 | 1.60 | 1.60 | 73 | 0.10 | 0.61 | 0.60 |

Genetic Defect

Mandibulofacial Dysostosis (MD) - The anatomic features overlap with a variety of other facial defects and can include cleft palate, short jaw and a crooked jaw or face. This is a relatively new defect in Hereford cattle. This is a recessive trait. Both parents must be carriers for the trait in order to have effected calves. The bulls with the (MDC) notation are carriers for the trait. (MDP) is the notation for an animal that potentially could be a carrier. All potential carrier bulls have been tested and the remaining results will be available by sale day.

WHOA.

MORE POUNDS.
MORE CALVES.
MORE PROFIT.



Hereford.org | 816-842-3757

Herefords are known as the efficiency experts for a reason.

Herefords boost pregnancy rates by 7% and add \$30 per head in feedyard profitability in a crossbreeding system.

And Hereford genetics bring unrivaled hybrid vigor, longevity and disposition.

7%

Higher Pregnancy Rates

\$51

More Per Cow, Per Year

\$20

Advantage in Feed Efficiency

\$30

Advantage in Feedlot Profitability

COME HOME TO HEREFORD.

OLSEN RANCHES, INC.

2322 Rd 14
Harrisburg, NE 69345

TO:

308-641-1273 (Douglas cell)
308-631-3104 (Art cell)
artolsen@daltontel.net
www.olsenranches.com
Annual Bull Sale
January 28, 2023 12:30 pm